Dog Health Exposed It's Easy If You Do It Smart



Sue Mills

2	Prelude
3	Dogs need different diets at different ages
4	Boredom and variety
5	Cost of feeds
6	Dry Vs. Canned food
7	Food allergies
8	How much should I feed my dog?
9	How often should I feed my dog?
10	Signs of Ill health

12	Common questions about heart worm
13	Fleas and other parasites
14	Do parasites cause "Scooting"?
15	Preventing dental disease
16	Home dental care
17	Veterinary dental treatments
18	The importance of the physical examination
19	What happens during an examination?
20	How often should my pet be examined?

22	Nursing a sick dog
23	Vaccinations
24	Common questions about vaccinations
25	Spaying of the Female dog
26	Surgical neutering of the male dog
27	Pet health insurance
28	Clipping a dog
29	First steps in grooming
30	Bathing a dog

32	Why Worry About Your Dog's Diet
34	When Should Good Nutrition Start
36	What Are The Three Choices Of Dog Food and How Are They Made?
37	What Makes A Healthy Dog Food and Where Can You Find It?
40	What To Do When Your Dog Is Overweight
41	Should You Give Your Furry Friend Table Scraps?
44	What Goes In Must Come Out. How Your Dog's Diet Affects His Waste
46	What Is The Raw Dog Diet?

50	Should You Give Your Dog Vitamins?
51	1Do Pregnant Dogs Need To Be Fed A Different Diet?
53	What To Feed Your Senior Dog
53	What to reed Your Sellior Dog
55	Should You Give Your Dog Treats?
58	To Sum It All Up



Copyright © All rights reserved worldwide.

YOUR RIGHTS: This book is restricted to your personal use only. It does not come with any other rights.

LEGAL DISCLAIMER: This book is protected by international copyright law and may not be copied, reproduced, given away, or used to create derivative works without the publisher's expressed permission. The publisher retains full copyrights to this book.

The author has made every reasonable effort to be as accurate and complete as possible in the creation of this book and to ensure that the information provided is free from errors; however, the author/publisher/ reseller assumes no responsibility for errors, omissions, or contrary interpretation of the subject matter herein and does not warrant or represent at any time that the contents within are accurate due to the rapidly changing nature of the Internet.

Any perceived slights of specific persons, peoples, or organizations are unintentional.

The purpose of this book is to educate and there are no guarantees of income, sales or results implied. The publisher/author/reseller can therefore not be held accountable for any poor results you may attain when implementing the techniques or when following any guidelines set out for you in this book.

Any product, website, and company names mentioned in this report are the trademarks or copyright properties of their respective owners. The author/publisher/reseller are not associated or affiliated with them in any way. Nor does the referred product, website, and company names sponsor, endorse, or approve this product.

COMPENSATION DISCLOSURE: Unless otherwise expressly stated, you should assume that the links contained in this book may be affiliate links and either the author/publisher/reseller will earn commission if you click on them and buy the product/service mentioned in this book. However, the author/publisher/reseller disclaim any liability that may result from your involvement with any such websites/products. You should perform due diligence before buying mentioned products or services.

This constitutes the entire license agreement. Any disputes or terms not discussed in this agreement are at the sole discretion of the publisher.



Prelude

Dogs are an integral part of human society on every inhabited continent on Earth. They drive livestock and protect it; police property; scent and detect illicit substances; haul sleds; retrieve game; guide the blind; search for and rescue the lost and injured; comfort the lonely; hear for the deaf; or simply add a sparkling natural reality to the lives of hundreds of millions of people throughout the world.

As we move from an agrarian to an urban culture, dogs are in many ways one of our last and most important links with the natural world. We get pleasure from caring for our gardens and for our pets.

This e-book on "Perfect handbook for imperfect dog owners" emphasizes the pet owner to offer good care to his or her pet and also gives solutions for unresolved problems.

Understanding ingredients

Understanding the ingredients of your dog's food items is a must for the dog lovers or dog owners. Whenever you feed the dog with different kinds of food items, you should always read the label and understand the contents about the dog feed types that are being used in such commercial preparations. You should understand the ingredients while buying food for your dog and also know what to look for. Understanding the ingredients of your dog's food items is a must for the dog lovers or dog owners. Whenever you feed the dog with different kinds of food items, you should always read the label and understand the contents about the dog feed types that are being used in such commercial preparations. You should understand the ingredients while buying food for your dog and also know what to look for.

Feed items include dry and fresh food. The fresh dog food that is prepared in homes generally consists of ingredients like freshly cut chicken pieces in addition to the cranberry juices, blue-green algae, etc.

If you come across any different kinds of preservatives and if the dog develops all of a sudden signs pertaining to the food allergy, suspect the unwanted ingredient in the feed items given. Similarly, understand about the moisture status. If the food item is having more moisture, then the dog may prefer this as well.

Beet pulp, pasta, Soy bean oil, wheat middlings, calcium carbonate, magnesium oxide, copper sulphate, iron sulphate, zinc oxide, choline chloride, etc. are often the ingredients in case of vegetarian based diet items offered to the pet animals like dogs.

Raw egg, chicken, beef, mutton, fish, quail etc. are often the preferred ingredients in case of dog diets that are prepared on the basis of the non-vegetarian items. Taurine is one of the essential ingredients for the dog's nutrition. Like wise, in the case of dogs feed with frozen fish items, the vitamin called thiamine needs to be supplemented as an ingredient. Many premium type of dog food preparations contain essential fatty acids, carbohydrates with adequate fibre contents, vitamins like A, D, E and B complex vitamins.



Furthermore, minerals like zinc, is an essential ingredient for skin health status and calcium, which is an essential ingredient for bone growth, tonicity of muscles. They should be enriched in these food items. However, the cost of those food preparations are comparatively more expensive than the food preparations with general ingredients. Though it may be better for your dog's health.

Dogs need different diets at different ages

Dogs need different diets at different ages. Yes. This is true. For example, the puppy needs milk as the major food item while an adult dog may need beef or chicken in addition to the boiled egg and milk. So depending on the age factor, the diet schedule varies in reality for the dogs like any other species.

Puppies need greater amounts of protein, fat and carbohydrates than an adult dogs. Furthermore, puppies need more frequent feeding schedules in a day, unlike an adult dog. The movement based requirements of diet are more in the case of puppies, since they are often more active than the adult dogs.

Elder dogs need restricted protein but the protein needs to be easily digestible and easily assimilated in the body. The diet schedule should have ample supply of water for them. Feeding aged dogs too much protein may finally lead to over burden to the renal structures and ultimately, the dog may end up damaging filters in the kidney.

This is true especially when the immune system of these dogs is compromised due to many factors. Similarly, the elderly dogs need less food only because the movements of the adult dogs are highly restricted and hence, they have to spend a limited of energy.

Female dogs in the pregnancy stage need not be fed a full stomach since it may cause some discomforts to the animal. However, the pregnant animal and the nursing animal need special type of food items that deliver a balanced type of nutrition with proper supplementation of vitamins and minerals.

The nursing animal with puppies need to be fed with enough amounts of calcium and hence, there will not be any calcium based deficiency and the bones of the puppies will be strong without any curving.

Vitamin and mineral supplements

Vitamin and mineral supplements are the most important components in any dog's feeding. If there is a balance in the vitamin and mineral supplements, then the animal will have a healthy life and hence, the immunity is not compromised in an unwanted way. This simply means that there the dog will be more disease resistance against various diseases.

Pet owners should know that vitamins A, D, E, and K are the fat-soluble vitamins and others are water-soluble vitamins. Vitamins like thiamine, pyridoxine and cyanocobalamin are important for the functions of nervous system. Deficiency of vitamin A leads to night blindness and skin lesions and deficiency of vitamin D leads to the softening and weakening of the bones.



These problems are many a time encountered by the dog owners. Among these, vitamin A toxicities may occur if you feed them in excessive amounts, like vitamin D. Hence, give emphasis on this while you are using these vitamins in the dogs. Cod liver oil from selected fishes has more vitamin A in them and are universally good feed for dogs.

All dogs may not need supplements of minerals or vitamins to live well for the moment, but it is important for their future. If they become sick or aged or very young without proper feeding, supplementations are required for the upkeep of health status in them. However, one has to follow the instructions of veterinarian in this regard.

If the dogs are fed with fish in frozen conditions, then they may be suffering constantly from vitamin B1 deficiency and hence, such dogs need to be given specifically B1. Careless supplementations of minerals may lead to diseases and hence, veterinarians always need to be consulted on the supplementation of minerals or vitamins.

Minerals like calcium, magnesium, zinc, manganese, iron, copper etc. are given more emphasis in addition to sodium and potassium. Zinc is related to skin health and potassium is related to the muscle health and calcium with phosphorus is related to the bone health.

However, if you feed the dog with chicken, mutton or beef along with required vegetables, artificial supplementation of mineral or vitamin tablets may be highly reduced but supplements need to be thought of when you are not able to maintain a balanced nutrition as this happens with most of the dogs, due to multifaceted causes.

Boredom and variety

Boredom and variety are always inter connected in case of dog misbehaving. Yes. This is true. Many a times, boredom can be managed with variety of materials that will distract the animals to a greater extent. Hence, the dog may not do the abnormal or unwanted activity arising out of the boredom experienced by it.

Boredom experienced dogs may have different types of behavioural patterns. For example, some dogs will be seen barking continuously and some may be engaged always in some digging activities.

There are many ways to get your dog out of its boredom activities. Many toys are available which simulated duck, dog, rodent etc.

These may be kept inside the crate and in particular, puppies love these items. A buster cube with multiple treats may be placed in the dog's shelter and the animal soon understands on how to roll the buster cube to get the treats it prefers. A Buster Cube is an ingenious toy use for simulating and activating your dog during play and feed time. Instead of placing the food monotonously in one place, change the place of feeding suddenly.

Such actions will be helpful for removing the boredom like activity in your dog. Activities pertaining to boredom need to be redefined well by the dog owners. This will help them to a greater extent to drive away the unwanted behavior patterns in their pet dogs.



For example, some dogs may often have destructive biting characters and will be seen biting chair, cloth, mats, and everything that can see. After ruling out the teething problem if it is a puppy, provide it with some large sized balls, mineral mixture based bone materials, etc. Such variety of materials help to reduce the boredom related activities.

Cost of feeds

The cost of dog feed is one factor that is most important in the case of feeding of dogs with different kinds of food items. Yes. This is true. The cost factor needs to be looked into in various perspectives during the preparation of the food items, required for the balanced feeding of dogs with proper vitamin and mineral supplementations in the food.

Cost will not always matter much because the dog's value is being assessed in terms of companionship and the happiness derived from the dog to the dog owner. Though the cost of the food items is comparatively more, many dog owners don't mind much due to the increased benefits derived from their dogs in terms of protection, guiding, etc.

Selection of ingredients for the home made food needs to be however based on the quality factor. Even when the quality is more, general persons may seek some cheaper items only. Recommended nutrient contents may be obtained from the national nutrient academies in all nations and this will provide guidelines. Selection of ingredients for the home made food needs to be however based on the quality factor. Even when the quality is more, general persons may seek some cheaper items only. Recommended nutrient contents may be obtained from the national nutrient academies in all nations and this will provide guidelines.

One can correlate the cost factor with items available in their own country. Generally, the commercial food items are expensive especially the ones that use the modern technologies of food preparation like oven-baking, sterilization of cans, air drying or freeze drying of contents etc.

Canned items cost more than the dry food items. However, the cost of the items depends on what kind of food item to be used for the dogs. Food allergies need to be monitored during usage of different food items in case of dogs due to the cheaper cost of the items. Often the quality need not be compromised because of the cost factor.

Most of the dog food items nowadays have mentioned their cost in the label itself. Hence, the dog owner need not have any problem in taking a decision on the purchase.



Dry Vs. Canned food

These types of food materials are different with different grades of liking by the dogs. Dogs like dry foods only if they are tasty only and however, on comparison, the dogs prefer only the canned food items. Reason for such preference by the dogs is that in case of canned food items, the moisture is about seventy to eighty per cent but in case of dry food, it is only about ten per cent. These types of food materials are different with different grades of liking by the dogs. Dogs like dry foods only if they are tasty only and however, on comparison, the dogs prefer only the canned food items. Reason for such preference by the dogs is that in case of canned food items, the moisture is about seventy to eighty per cent but in case of dry food, it is only about ten per cent.

However, if you view it in terms of nutrients, often the dry food contains nearly ninety per cent nutrients whereas the canned food items contain only less per cent of nutrients and most of the times. It is only soy products that are structured so well to look like meat pieces.

Hence, to make up the nutritional balance in the body systems, the dog has to eat more amounts of canned food materials than the dry food materials. Hence, just compare the cost factor related to this feature by you. Many dry food items are soybean and rice based.

Now some dry food items are based on corn. Sometimes, beef based or chicken based food items come in the cans along with mineral and vitamin supplements suited for the upkeep of the dog's health status. Larger dogs that weigh more than thirty pounds need to be fed with semi moist food items or dry food items in most of the occasions.

This is to satisfy the food receptors in the stomach. This is due to the fact that the larger dogs need to eat plenty of moist food or the canned food items to satisfy these criteria. But it may not be practically possible in these larger dogs. The small sized dogs may have a satisfactory level of nutrients if fed even the moist food items. However, the caloric density of the dry food should not be forgotten. Enriched dry food items are highly welcome ones than the non -enriched food items.

Home made diets

Home made diets are important in the dog feeding. Many a times, the commercial diets consist of food items that have artificial colouring agents and flavouring agents that are harmful to the dog's body. Home made food items have the guarantee of freshness in the preparation unlike the ready-made commercial items.

The preservatives added in the commercial food items may not be the suitable ones to the dogs from the health point of view. Even in case of renal diseases in dogs, the home made diets may be made with ground beef, slices of bread, calcium carbonate, boiled eggs etc.



The purpose is to have the restricted protein supply in the feed items prepared. This should be carried out with home made diets prepared exclusively for the dogs suffering from renal diseases. Water is added in sufficient quantities to help the proper metabolism in the digestion-impaired renal cases. The purpose is to have the restricted protein supply in the feed items prepared. This should be carried out with home made diets prepared exclusively for the dogs suffering from renal diseases. Water is added in sufficient quantities to help the proper metabolism in the digestion-impaired renal cases.

The dog may have allergic symptoms like severe itching, which may not get corrected by different kinds of medications employed over a period of time. Such cases may get easily treated once the dog food is changed from the commercial type of food to the home made food items.

Often, the home made food items are prepared using the freezing procedures to kill the germs or by adding grape seed extracts to provide sufficient antioxidants to the home made food items. Food grade vinegar is also added in many times to the meat pieces prepared in a fresh manner. All these can be enriched with vitamin supplements that are available in fruit essences, fish oil etc.

Cranberry juice, bananas, fish and meat are prepared in a quality manner and no preservatives are added during the preparation of these kinds of food items and the dog becomes more active after the consumption of such food items.

Food allergies

Food allergies are something that is difficult to identify unless one is well aware of the baseline information with regard to this type of allergy. The main symptoms of food allergies in dogs include the facial itching, limb chewing, belly itching, recurrent ear infections or skin infections. Food allergies are something that is difficult to identify unless one is well aware of the baseline information with regard to this type of allergy. The main symptoms of food allergies in dogs include the facial itching, limb chewing, belly itching, recurrent ear infections or skin infections.

Since the dogs consume lot of prepared food materials including various kinds of proteins, fillers, colouring agents and more; in the commercial food materials, the incidences of food allergies are more than one can imagine. Allergic reactions mostly involve the skin or the gastro intestinal tract.

If you come across your dog itching after the provision of specific food materials, then suspect the food allergy in this animal. However, conditions like fungal infections need to be ruled out in general before the conclusion of itching as a sign of food allergy.

There are many recorded incidences of allergies of dogs to corn or to wheat. However, the food allergies vary from dog to dog. Read the labels clearly before feeding your dogs with pet food materials, in such occasions. Too much coloured food materials may be avoided since they may cause allergies to your dog.



Food allergies are often linked to the hyper active behavior noticed in the dogs. Added colours, preservatives, and high fat diet might cause such food allergies in the dogs and hence, one has to be careful in providing new kind of diet to their dogs and closely monitor the dog for any signs of allergy. Food allergies are often linked to the hyper active behavior noticed in the dogs. Added colours, preservatives, and high fat diet might cause such food allergies in the dogs and hence, one has to be careful in providing new kind of diet to their dogs and closely monitor the dog for any signs of allergy.

There are many occasions that food allergies might be diagnosed in the dogs but the dog may have other problems like pancreatitis. To rule out the food allergies, observation your dogs every time you feed them, look for reasons to link the signs of dog with food given, specific signs encountered, differential diagnosis etc. are the important features to be given emphasis.

How much should I feed my dog?

Many people will give different types of answers based on their experience with their dogs. However, the scientific facts related to the feeding aspects in case of dogs need to be given emphasis during the feeding activities maintained in case of dogs. Many people will give different types of answers based on their experience with their dogs. However, the scientific facts related to the feeding aspects in case of dogs need to be given emphasis during the feeding activities maintained in case of dogs.

Usually the puppies should not be separated before they are eight weeks old. However, some times the orphaned puppies may exist. Usually about five percent of the body weight may be taken as criteria for the quantity of food to be given to the puppies. However, the amount that is consumed by the dog varies with size of the dogs also.

However, one can have a thumb rule of feeding the puppy goes until you see visible fullness of the abdomen to a moderate degree. If you are going on feeding the animal without giving emphasis to the animal's stomach appearance, then the puppy may experience some kinds of digestive upsets and the diarrhoea may occur in them.

This may cause many inconveniences to the owner as well as the puppy. Unlike adult dogs, the puppies need to be fed with restricted amounts of food but in more frequencies. However, once the age advances, the amount may be increased to some extent but the frequency of feeding is often decreased in many occasions.

A dog on a raw diet may consume only two to four percent of their body weight. Just observe closely the feeding pattern of the dog and the body condition of the animal. If the dog becomes obese, just reduce the quantity of food and if the dog becomes thin, then have an increase in the feeding items.



As mentioned earlier, puppies and adolescent dogs eat more than the adult dogs. Likewise the geriatric dog eats less than the adult dog due to the reduced movements of the dog. However, remember to restrict the amounts of protein during the feeding of diet to the aged dogs.

How often should I feed my dog?

This often becomes an important question asked by many dog lovers and dog owners. If it is a puppy within age of the first six weeks, the puppies need to be given milk at the rate of five to seven times per day. The puppy will make some sound if it wants to feed in general. This often becomes an important question asked by many dog lovers and dog owners. If it is a puppy within age of the first six weeks, the puppies need to be given milk at the rate of five to seven times per day. The puppy will make some sound if it wants to feed in general.

However, the feeding frequency may be reduced when the dog becomes six to eight weeks old. By the time the dog assumes the age of four weeks, it may start taking of some solid food. Hence, mix the solid food with water in majority and feed your puppy once or twice in the beginning and if the dog develops some diarrhoea, then delay the feeding.

Most of the times, it is due to trial and error but taking some basic steps in feeding, so you need to watch out. The feeding frequency may be changed to two to three times after the assumption of age of eight weeks. However, if the dog is seen hungry craving for food, then provide food once than the estimated numbers. This varies with different breeds of dogs. Most of the times, it is due to trial and error but taking some basic steps in feeding, so you need to watch out. The feeding frequency may be changed to two to three times after the assumption of age of eight weeks. However, if the dog is seen hungry craving for food, then provide food once than the estimated numbers. This varies with different breeds of dogs.

However, avoid feeding too many times in this age group of dogs. Around three months to six months of age, the puppy will be teething. Hence, restrict the feeding to two times only but the balanced type of nutrition needs to be provided to the dogs of this age group to avoid the deficiency based symptoms in them.

From six months to one year, try using puppy food that is available commercially. However, from first year onwards, the adult food may be given gradually. However, when the dog becomes an elder dog, restrict the frequency of feeding since the movements of such adult dogs are highly reduced due to multiple reasons. However, the pregnant animal may be fed an extra time depending on the willingness of the animal and restrict the quantity of the food but without compromising on the quality of food.



Signs of Ill health

Signs of ill health are the most important signs of the health status in your dogs. For example, if the dog has continuous nasal discharge, it indicates the presence of nasal congestion and if the discharge is thick, most of the times, the dog may have pneumonia. Signs of ill health are the most important signs of the health status in your dogs. For example, if the dog has continuous nasal discharge, it indicates the presence of nasal congestion and if the discharge is thick, most of the times, the dog may have pneumonia. If the dog vomits one or two times occasionally, this may not be taken as a serious sign of ill health but if the dog continues this vomiting, then this is something significant to be looked into.

If the dog has continuous itching, then one needs to check up the dog first by closer observation and examination of skin by separating the hair material especially in case of long haired breeds. You may also come across a lot of ticks or lice on skin, which may look apparently normal at a distance.

f the dog passes loose stool for one or two times, this need not be given more emphasis but if there is continuous passing of loose stool, then the dog is understood to suffer from bowel disorders. If the dog does not pass stool for two to three days, the digestive upsets needs to be ruled out carefully.

Just patiently observe the dog's walking movements and rule out any abnormal movements in the dog. If the dog is limping, the animal may have foot lesions. Similarly, if the aged dog has reluctant walking and less feed intake along with repeated vomiting, then acute renal disorders like nephritis needs to be ruled out.

If there is whiteness in eyes, suspect the corneal opacity that may occur in diseases like trypanasomosis. When the dog becomes anaemic, the mucous membrane of the eyes becomes paler and in severe cases, this may have wall white colour. If the dog bites chain and owners or others, look for behaviour disorders and rabies needs to be ruled out.

Heart worm, fleas and other parasites

Heart worm, fleas and other parasites in dogs need to be eliminated by following appropriate medications in them. Many products have come up in the commercial fields to protect the dogs from heart worms, fleas and other parasites like hook worms, whip worms, round worms, lice, ticks etc. Heart worm, fleas and other parasites in dogs need to be eliminated by following appropriate medications in them. Many products have come up in the commercial fields to protect the dogs from heart worms, fleas and other parasites like hook worms, whip worms, round worms, lice, ticks etc.

Among the heart worm, fleas and other parasites, the fleas produce the hyper sensitive reactions in the affected animals. Hence, the animals infested with fleas start severely scratching of body. Many times, the scratching is so severe and the skin becomes more hyperemic and dermatitis occurs in the affected areas.



Animal will not lie down or sleep comfortably due to the constant bites by the fleas. Hence, animal looks as if affected by some severe skin disease. If the animal is not properly attended for this tick bite problem, there will be often secondary bacterial invasions in these sites and there may even be a bad smell emanating from the skin areas. Animal will not lie down or sleep comfortably due to the constant bites by the fleas. Hence, animal looks as if affected by some severe skin disease. If the animal is not properly attended for this tick bite problem, there will be often secondary bacterial invasions in these sites and there may even be a bad smell emanating from the skin areas.

Close observation of the dog is highly essential to rule out the occurrence of fleas disturbing the animal to a greater extent. Similarly, the skin of the animal needs to be tested for the presence of ticks, lice etc. For this, the hair materials need to be separated and the close observation with patience is required for the proper diagnosis. In many incidences, if anaemia is present, the blood protozoa need to be ruled out in addition to the hookworm problems. The clinical problems like anaemia, loose motion, pot belly etc. might be recognized by the dog owners themselves and however, the dog needs to undergo the routine health related examination involving faecal examination, haematological examination and blood smear examination.

Many commercial products have come up in the market, which are useful to deal with all these conditions by single dose. Drugs like ivermectin are highly useful and are available in both injection and oral form in addition to the solution form that can be applied on the skin. These drugs in dogs can lead to the prophylaxis of these conditions also.

Heart worm prevention

Beef flavoured chunks are available in addition to the beef flavoured tablets or solutions that can be given orally to the dogs as a measure against the incidence of heart worms. Avoid mosquito bites by providing proper mosquito-proof shelter facilities to the dogs.

Just plan whether there is any need to go for the heart worm prevention though out the year or only in some months of the year. For example, in case of some countries, the mosquitoes may be dormant in most of the colder months.

However, in some countries, this is not a position. Many a times, medications are available for oral administration to prevent heart worms along with hookworms etc. Such oral medications need to be taken as per the instructions. However, be cautious about the occurrence of any adverse drug reactions in the dog given with such prophylactic therapy. However, in some countries, this is not a position. Many a times, medications are available for oral administration to prevent heart worms along with hookworms etc. Such oral medications need to be taken as per the instructions. However, be cautious about the occurrence of any adverse drug reactions in the dog given with such prophylactic therapy.

Adverse event reports need to be sent if you come across any sorts of adverse drug reactions in your dog during the preventive treatment. Soft beef flavoured tablets are highly preferred by the pet animals as the preventive measure against heart worms. The pet owner needs to consult a veterinarian if the dose for the prophylaxis of heart worm is missed for few months. In such occasions, the pet animal needs to undergo the heart worm test.



Heartgard, sentinel, interceptor, revolution, etc. are available in the commercial fields as drugs for the preventive measure. Avoid water stagnation around the dog shelter and the bushes around the area that facilitate mosquito breeding. This test needs to be carried out in consultation with a veterinarian who is specialized in the pet animal health care and medicine. Heartgard, sentinel, interceptor, revolution, etc. are available in the commercial fields as drugs for the preventive measure. Avoid water stagnation around the dog shelter and the bushes around the area that facilitate mosquito breeding. This test needs to be carried out in consultation with a veterinarian who is specialized in the pet animal health care and medicine.

As a preventive measure for the heart worms, the dogs need to be tested for the evidence of these worms at an age of six months. Real beef chew able tablets are available containing medical agent like ivermectin.

Common questions about heart worm

The common questions about heart worm are often related to the species affected by heart worms in addition to the dogs. One should know that in addition to dogs, the cat, fox, wolf, horse, sea lion etc. are also affected. Can this be cured or not? Yes. This can be treated. The common questions about heart worm are often related to the species affected by heart worms in addition to the dogs. One should know that in addition to dogs, the cat, fox, wolf, horse, sea lion etc. are also affected. Can this be cured or not? Yes. This can be treated.

What is the drug used often for the prevention of heart worm in dogs? Ivermectin is the drug used often to have preventive actions for these heart worms. Dogs affected reveal constant coughing, panting and dullness in many occasions.

What will be the size of the worms? In the case of the females, it is about twenty-seven centimetres and in the case of males, it is about seventeen centimetres in length. Is there any vector involve in the transmission of the disease? Yes. Mosquitoes often get associated as vectors in which the early development of larvae of heart worms occur in them.

Is the prophylaxis meant only for heart worms or others also? The prophylaxis is meant not only for the heart worms but also for the hook worms, whip worms, and round worms. What is the infective type of larvae that is associated with the transmission of these heart worms? The third stage larva that is transmitted by the mosquito bites.

This occurs through out the world. In some areas, the incidences are less in colder months in which the mosquito breeding will not be there and may be dormant during these periods. What is the name of the drug used for therapy and prevention? Ivermectin and milbemycin oxime may be used for both purposes. Ivermectin is available in injection form and oral form.



Additionally, the forms for external application are also available. The cost factor needs to be worked out for all these treatments. What is the frequency of drug used for prophylaxis? One month before the mosquito season and up to two months after the mosquito season, ivermectin or milbemycin oxime may be given once monthly for the prophylaxis. Diethylcarbamazine may be used for therapy purpose.

Fleas and other parasites

Fleas and other parasites need to be given always a priority by the dog owners. The common incidences of flea bite allergy in case of dogs cause worries among the dog owners. Flea bite induces allergic reactions in the concerned area bitten by the fleas.

Hence, the affected area looks like hairless area and the animal starts scratching. Fleas and other parasites need to be given always a priority by the dog owners. The common incidences of flea bite allergy in case of dogs cause worries among the dog owners. Flea bite induces allergic reactions in the concerned area bitten by the fleas. Hence, the affected area looks like hairless area and the animal starts scratching.

Fleas cause severe dermatitis in dogs with severe flea infestations. Many times, the flea bite causes allergic reactions in the dogs. In many occasions, dogs experience severe discomforts due to these allergic reactions. Medicated collars are available to treat and prevent the infestation with external parasites like ticks or fleas.

Other parasites like ticks, lice in addition to the internal parasites like hook worms, round worms, whip worms etc. cause affections in the health status of the animal. For example, if hookworm affects the animal, most of the times, the dog has anaemia. The anaemic signs become more prominent depending on the degree of affection by the hookworm. Hookworm larvae can pass directly through the skin and cause problems in the affected ones. Such dogs may reveal lesions pertaining to the dermatitis in the feet region and in the skin areas. Skin rashes may be seen frequently in such cases and the affected animal passes loose stool, which is of red tinged and mixed with blood material.

If the round worms are seen in more numbers, the affected puppies reveal a potbelly condition, which is easily recognized by the dog owners themselves. Piperazine salts are given by oral route for the treatment of this problem. However, broad-spectrum anthelmintics like pyrantel pamoate, fenbendazole etc. are given to treat these conditions. Many drugs have come in market to treat the fleas and other parasites. Nowadays, the medical agent called as ivermectin is highly preferred by many dog owners to treat the fleas and other parasites in dogs. This drug is available in injection form and oral form. Even the drug is available for the external application also.



Do parasites cause "Scooting"?

Parasites too cause the scooting. Scooting is a an anal sac disease. First let's understand what scooting is in detail. This is the dragging of anus with the hind limbs in an extended state. Parasites causing irritation in the anus regions lead to such type of actions in animals like dogs. Parasites too cause the scooting. Scooting is a an anal sac disease. First let's understand what scooting is in detail. This is the dragging of anus with the hind limbs in an extended state. Parasites causing irritation in the anus regions lead to such type of actions in animals like dogs.

However, one should not be under the impression that it is the parasite that alone causes such scooting in case of dogs. There are many occasions in which the dog may have the scooting without any parasite based etiological agent. For example, the anal gland infections, tumors at the anus and injuries near the anal regions also may lead to such type of dragging of anus region, frequently by the affected dogs.

Flea bite allergy often causes irritation at the anus region and the animal may try to bite the anus region and the irritations due to these factors lead to the final dragging of anus region on the ground. Cestodiasis in dogs is the condition caused by tapeworms. In such occasions, if the animal is not treated in time, the animal may be seen exhibiting the scooting activities. Tapeworm segments passed in the stool create crawling like activities near anus.

Such crawling activities of the tapeworm segments lead to severe itching at these regions. Hence, to make a relief from this type of constant irritation, the animal starts pressing the anus region on the ground first and then tries to drag it on the ground with typical extension of rear limbs.

Usually there is a packet of eggs when the fecal sample is examined by microscope. However, the flotation technique leads to breakage of these packets to burst and hence, diagnosis is difficult in such occasions. Scooting dogs need to be examined to rule out tapeworm segments, which look like rice like pieces.

These segments are white in color and turn yellow when taken from the body. Tapeworms themselves may be seen in the motion or near anus below the tail regions. Consult your veterinarian for specific cures for this.



Preventing dental disease

Preventing dental disease is an important feature, which is to be paid more emphasis by the dog lovers or dog owners. Dental disease is given priority in the health schedule of the dog nowadays because of the association of the dental diseases with systemic diseases in the dogs. Preventing dental disease is an important feature, which is to be paid more emphasis by the dog lovers or dog owners. Dental disease is given priority in the health schedule of the dog nowadays because of the association of the dental diseases with systemic diseases in the dogs.

Antibiotics need to be given in the initial stage of teeth infection itself and if not, this may cause specific infections and the organisms may spread to the other nearby regions like the oral mucous membrane and pharyngeal region etc.

More acidic or alkaline food materials need not be given to the dogs to avoid the possible teeth damage. Antibiotics need to be given in the initial stage of teeth infection itself and if not, this may cause specific infections and the organisms may spread to the other nearby regions like the oral mucous membrane and pharyngeal region etc. More acidic or alkaline food materials need not be given to the dogs to avoid the possible teeth damage. If the dog is not given at its young age some bony material to bite on, the dog may develop some dental diseases later. The teething action often causes the animal to go for biting in an indiscriminate manner. Hence, the animal has to be given some biting materials to avoid the occurrence of dental diseases.

If there is an evidence of bleeding from the oral region, the dog needs to be examined thoroughly for any dental abnormality. Mainly the puppies or some times, the adult dogs also may have teeth injuries. They need to be attended immediately as a preventive step. If not, the animal may end up in secondary bacterial infections.

Hunting dogs need additional care associated with the dental structures and such care is needed to avoid the future dental problems in such dogs. Brushes are available to provide better dental care to dogs. However, one has to allot more time and should have patience to use such brushes in case of dogs. This may lead into further problems. Centers for disease control and prevention are trying to put up guidelines to prevent the dental diseases in dogs in many nations. However, the oral examination needs to be carried out frequently in dogs and such activities help to rule out the emerging problems pertaining to the dentine structures in the beginning itself.



Home dental care

Home dental care is to be given more emphasis nowadays because of the fact that the dental diseases are emerging in the case of pet animals like dogs to a greater extent. Though you are giving home dental care, if you suspect on the extension of the dental diseases, then immediately approach the veterinarian for intervention. Home dental care is to be given more emphasis nowadays because of the fact that the dental diseases are emerging in the case of pet animals like dogs to a greater extent. Though you are giving home dental care, if you suspect on the extension of the dental diseases, then immediately approach the veterinarian for intervention.

Try to provide bone materials without very sharp points to the dogs and they may love to chew them and then swallow the bitten products. Such activities help them to go for the development of strong teeth structures in a natural manner. Mind that the breeds of dogs like Pekingese, etc. are more prone for the development of teeth diseases because the teeth are closely crowned in the oral cavity be to the small size of the these dogs. Hence, these dogs need to be checked up for the excessive plaque formation in the home itself.

Recreational raw beef bones are wonderful materials to keep the teeth structures of your dog clean and free from formation of plaque with build up of bacterial organisms. Teeth brushes are available for use with care in case of dogs and one has to be careful during the usage of these brushes in dogs. Teeth brushes are to be used with special kinds of pastes recommended by the veterinarians for home use in case of dogs.

Specially prepared food materials are available in the pet shops to remove the tartar and the plaque materials from the teeth structures. Dry dog food and toys that are specially made to add strength to the teeth structures are often used at home for better teeth cleaning.

The plaque materials are intermittently to be removed at home to avoid any occurrence of the periodontal diseases, which are more common among the dogs. Dental wipes are available in the pet shops and they may be used carefully in the home. This helps to remove more plaque and the tartar like materials that are loosely attached.



Veterinary dental treatments

Veterinary dental treatments are more important. If the dental structures are not being looked carefully, there are more chances for the development of periodontal diseases in dogs. Hence, the veterinary dental treatments need to be paid maximum importance during the life of your dogs. Veterinary dental treatments are more important. If the dental structures are not being looked carefully, there are more chances for the development of periodontal diseases in dogs. Hence, the veterinary dental treatments need to be paid maximum importance during the life of your dogs.

There are many advanced systems that deal with dental treatments that have come up in the market. Many systems are available with built in water spray systems, double filter systems, auto clavable clips, and more.

Many veterinarians use high speed fiber optic hand pieces with push button turbines, two hand piece water jet systems, soundless water compressors and more. The diagnosis of a condition pertaining to the periodontal structure based diseases are more important before the treatment.

Periodontal diseases are graded into minimal and moderate and severe diseases. Accordingly the therapy is carried out, it is impossible to check all teeth by basic oral examination in the dog patient. Hence, general anesthesia is required before the examination of the teeth inside structures. Surgical curettage is done in case of advanced periodontal diseases using flaps and the teeth extractions are also carried out using moderate force and more care is taken to avoid the continuous bleeding.

Oral surgeries are undertaken after obtaining of the dental radio graphs in the dogs and by comparing the tissue damage with normal teeth structures. The concerned veterinarians assess the extent of damage in a systematic manner.

The periodontal diseases are controlled by administration of broad-spectrum antibiotics in an effective manner. Along with the dental surgeries, the oral treatment is done with many products that are helpful to prevent the attachment of the tartar or plaque on the teeth. However, reputable products should be used in the veterinary practice and the dog owner's satisfaction is given more priority during the veterinary dental therapy.



The importance of the physical examination

The importance of the physical examination need not be underestimated in case of dogs. Simple but systematic physical examination techniques may diagnose most of the disorders in dogs and hence, without physical examination of the dog, one should not resort to knowing the status of your dog's health. The importance of the physical examination need not be underestimated in case of dogs. Simple but systematic physical examination techniques may diagnose most of the disorders in dogs and hence, without physical examination of the dog, one should not resort to knowing the status of your dog's health.

Simply observe the dog with scratching. Catch the dog and simply separate the hair material from the itching site. To the surprise you may come across a big wound in the scratched site. The wound might be the main reason for the scratching of the dog at that site. However, one has to rule out the occurrence of wound by severe itching itself.

Many times, when the scratching dog is examined physically, one can come across plenty of lice infestation or tick problem in the skin and coat. The parasitic condition might not be diagnosed at all if one has not carried out the physical examination. Similarly, the dog may reveal the signs of pain when the physical examination is carried out by deep palpation technique. The dog show signs of pain when the dog is examined at the stomach or the back regions.

Even if it is possible that by pressure based palpation, one can detect the acute renal disorders in the affected dogs turn to the examined site at the region of kidney or at the back region. The dog affected by the Cystitis with severe retention of urine is often diagnosed by mere physical examination.

The filled bladder together with signs of pain during the examination at the site of urinary bladder indicates that the animal is affected by Cystitis. Auscultation of the heart in both right and left sides helps to rule out the abnormal heart sounds and the pulmonary area based auscultation reveals the respiratory system disorder like pneumonia.

Why are regular check-ups important?

Why are regular check-ups important? Every dog owner asks this type of question, often. If you failed to do the regular check-ups, then the dog may end up having some major diseases that you don't know about. Hence, you need to pay lot of money both to the veterinarians for consultancy and for the required drugs useful for the therapy of the clinical condition.



One may not be able to find out the very commonly occurring clinical conditions in case of their dogs because of less experience with dog diseases or dog rearing. This is why check ups are important. For example, if the dog has potbelly, the condition may not look abnormal many times. But if the dog is subjected to the regular check-up, then the veterinarian immediately finds it out and gives the appropriate therapy. If not, the animal may experience diarrhoea and the dehydration. One may not be able to find out the very commonly occurring clinical conditions in case of their dogs because of less experience with dog diseases or dog rearing. This is why check ups are important. For example, if the dog has potbelly, the condition may not look abnormal many times. But if the dog is subjected to the regular check-up, then the veterinarian immediately finds it out and gives the appropriate therapy. If not, the animal may experience diarrhoea and the dehydration.

If the dog has any signs of illness, then don't wait for the regular check-up. Instead, you need to approach the veterinarian immediately. Check ups if done in a regular manner will help to give vaccinations against canine distemper, parvovirus, corona virus, rabies virus, hepatitis virus, and more.

Booster vaccinations will be carried out in such cases without any delay in the injections and this helps to improve the immunity level of the dog against such diseases in a remarkable degree. Regular check up is the essential one with proper stools examination.

Hence, the deworming may be carried out with drugs like fenbendazole, albendazole, etc.

Abnormalities like signs of pain may be ruled out during such examinations. If not, helminthiasis may affect the animal and diarrhea may occur in addition to the other types of digestive upsets and anemia. Regular examinations help to rule out the external parasitic conditions like lice or tick infestations. Dental problems are also found out during the regular check ups in reputed veterinary hospitals.

What happens during an examination?

This question often looks so simple but holds more meanings in that. During the examination of your dog, first you need to prepare the dog first psychologically for a better-restrained status. For this, you need to take a leash and place the dog on table by the careful delivery of suitable command. This question often looks so simple but holds more meanings in that. During the examination of your dog, first you need to prepare the dog first psychologically for a better-restrained status. For this, you need to take a leash and place the dog on table by the careful delivery of suitable command.

When the dog is trying to avoid the thorough examination by the veterinarian, just try to distract the dog by simple scratching of your dog behind the ears, etc. Hence, the dog's attention is some what diverted from the examination procedures that are carried out often in a systematic manner.



However, there are obedient dogs, which will remain calm during an examination. Such dogs need to be given some patting on the shoulder or the body and praises. Perhaps, many owners may try to provide some treats that are liked so much by the concerned dogs. However, it all depends on the trainings offered to the concerned dog earlier and the effective follow up procedures by the owner for the maintenance of such reflexes during the examination. However, there are obedient dogs, which will remain calm during an examination. Such dogs need to be given some patting on the shoulder or the body and praises. Perhaps, many owners may try to provide some treats that are liked so much by the concerned dogs. However, it all depends on the trainings offered to the concerned dog earlier and the effective follow up procedures by the owner for the maintenance of such reflexes during the examination.

Muzzles are required for some dogs if they behave in a different manner by objecting the examination procedures by the frequent movements of the body or trying to bite the veterinarian doing the examination of the dog. Hence, the owner needs to observe the dog closely during the examination to rule out any abnormal activity by the dog.

Restraining activities in a proper manner during the clinical examination of the dog are of highly appreciable if they are successful with the concerned dogs. Such control will be of highly helpful for the effective examination of the patient by the concerned veterinarian in the pet clinic. If the dog gets more distracted during examination by means of restlessness, then one may even use the electronic equipments which will make some sound that are audible to the dogs' ear. Such things will be helpful in the proper distraction of the animal during the examination.

How often should my pet be examined?

Most of the dog owners try to find this answer in a serious manner. Whatever the schedule we have for the examination of your pet animal, if there is any abnormality noticed in your animal, without delay, you need to subject the animal for a thorough clinical examination. It can be suggested that even before the purchase of a puppy, just consult a pet animal care specialist and try to understand about the schedules to be maintained for the examination of the animal. This will help a lot in solving many health related problems in the concerned animal.



Though once in two or three months is the general schedule for the examination of the dog, as soon as the puppy is procured the dog needs to be taken to the veterinarian for a thorough examination. Hence, the health care measures related program will be obtained in time. Most of the time, the dog is to be taken to the veterinarian at fifth or sixth week of age because in this period only, the vaccinations against diseases will be systematically carried out. The period of vaccination in the first year will be continued up to the sixteenth week of age and the schedule needs to be maintained accordingly. Though once in two or three months is the general schedule for the examination of the dog, as soon as the puppy is procured the dog needs to be taken to the veterinarian for a thorough examination.

Hence, the health care measures related program will be obtained in time. Most of the time, the dog is to be taken to the veterinarian at fifth or sixth week of age because in this period only, the vaccinations against diseases will be systematically carried out. The period of vaccination in the first year will be continued up to the sixteenth week of age and the schedule needs to be maintained accordingly.

However, if you have the pregnant dog, the dog need not be stressed by long distance based transportation for examination purposes. Hence, consult the veterinarian by phone and try to reduce the travel for the dog. However, the veterinary advice needs to be obtained in terms of health maintenance. If the dog has met with an accident either during travel or during routine movements, the animal needs to be taken to the pet hospital immediately.

Though no disease is evident, it does not mean that the dog is healthy. There are occasions wherein the animal may look like a normal dog but may have some diseases, which can be found out during the routine health check ups. Hence, the owner has to decide on when to take the dog to the hospital depending on necessity.

How to administer medicine

Most of the times, the dogs are so intelligent to find out the drug mixed water or food materials offered to them by the dog owners. Hence, often it becomes a headache for the dog owners to give medicines to their dogs. To the possible extent, the animal need not be forced for taking of the drug. If the medicine is to be given by mouth, first decide whether it is better to give it along with water or food. Many times, the medicines are mixed with food materials and are kept in concealed position by proper mixing of the medicine with the food materials.



Before administering the medicine, just delay the feeding time in the particular dog. Hence, the dog may be hungry to some extent. At that time, give little quantity of normal food without medicine and the dog may eat it well without any suspicion and now provide the medicine mixed food and the dog may voluntarily eat it most of the times. If the dog resists, first restraint the dog well and open the mouth. Place the tablet behind the fang teeth and almost behind the bulb of the tongue. However, take care that the medicine what you are administering in the dog should not enter directly into the respiratory organ like lungs. Before administering the medicine, just delay the feeding time in the particular dog.

Hence, the dog may be hungry to some extent. At that time, give little quantity of normal food without medicine and the dog may eat it well without any suspicion and now provide the medicine mixed food and the dog may voluntarily eat it most of the times. If the dog resists, first restraint the dog well and open the mouth. Place the tablet behind the fang teeth and almost behind the bulb of the tongue. However, take care that the medicine what you are administering in the dog should not enter directly into the respiratory organ like lungs.

If so, the dog will experience many bouts like activities and may end up in aspiration pneumonia with severe nasal discharge and panting like activities. In puppies, just swab the medicine around the upper lip. The puppy will lick automatically the drug by tongue. Hence, the administration becomes perfect in such cases.

If the medicine is in liquid form, don't raise the head of dog too much and place medicine by a syringe. Just by using a dropper, fill the medicine in the lip pocket. The continuous rubbing at the throat side may stimulate the swallowing. Making the animal thirsty and then offering of medicine mixed water may many times help the intake of the medicine.

Nursing a sick dog

Nursing a sick dog is one of the vital measures that a dog owner needs to understand. Similarly, when a dog becomes sick, the dog is in need of more care and affection based activities by the dog owners. Nursing a sick animal is often considered as an art and this should not be taken as a causal measure. Nursing a sick dog is one of the vital measures that a dog owner needs to understand. Similarly, when a dog becomes sick, the dog is in need of more care and affection based activities by the dog owners. Nursing a sick animal is often considered as an art and this should not be taken as a causal measure.

Yes. You need to take extra care to the dog when it becomes sick. For example, the sick dog with high fever needs to be given only some bread pieces and bulky non-vegetarian items may be avoided. Such dogs should be kept in some calm place after medications are taken and should not be disturbed. During the nursing of the dog who has taken the drug, the animal needs coaxing and stroking by the owner. Don't raise the dog's head too much to avoid the passing of drugs given by the mouth directly into the respiratory organs like lungs. During the nursing measures, take care by giving warm fluids.



Safety is to be given more priority during the nursing activity in any dog. When the dog has severe diarrhoea, the animal may start showing signs of dehydration. Hence, the nursing care for dehydration includes an addition of small doses of salt and glucose to water in a careful manner. Safety is to be given more priority during the nursing activity in any dog.

When the dog has severe diarrhoea, the animal may start showing signs of dehydration. Hence, the nursing care for dehydration includes an addition of small doses of salt and glucose to water in a careful manner. Similarly, the vomiting dog also needs proper nursing care. Ice cubes may be given in such cases along with egg whites to smooth the esophageal passage.

Nowadays, a non-contact based infrared thermometer has come up in the market to obtain the temperature of the animal without much stress. Place the dog in a shaded place if the temperature is so high and provide good ventilation to the suffering animal. If the animal is suffering from hypothermia, provide warm blankets to given comfort to the animal.

Vaccinations

Vaccinations need to be undertaken always by the pet owners and the dogs need to be vaccinated at the appropriate time. This helps to improve the resistance of the animal against some specific diseases causing frequently problems in dogs. The dogs that are orphaned due to the death of the mother have lesser protection in their immune system. Vaccinations need to be undertaken always by the pet owners and the dogs need to be vaccinated at the appropriate time. This helps to improve the resistance of the animal against some specific diseases causing frequently problems in dogs. The dogs that are orphaned due to the death of the mother have lesser protection in their immune system. Such animals are to be particularly protected against various diseases.

Vaccination is usually started at the age of five to six weeks and prior to this age, the maternal immunity will be helping the animal to have natural disease resistance. It is always better to deworm the animal before the vaccination and this is given emphasis many times. Vaccination against the parvo virus is done at an early age because pups are often being affected by parvo viral infections. The booster dose for each vaccine needs to be given at appropriate time and this helps to build up the immune status to an appreciable manner. Vaccination is carried out in many countries against rabies disease.

Hence, vaccination against rabies is given more emphasis always. Even rabies tags are fixed on to the dog collar of most of the dogs. Rabies vaccine is given at age of thirteen to fifteenth weeks of age and is repeated in fifteenth months time. However, this depends on the type of vaccine used. Once in three years, this is repeated.

In dogs that have not received colostrums or dogs at high risk areas, give measles virus vaccine and killed parvovirus vaccine before five weeks of age itself. Leptospira serovar vaccine is given at six to eight weeks of age and again at tenth to twelfth weeks and at thirteenth to sixteenth weeks.



Then annually repeat this. Bordetella and lyme disease vaccinations are only optional ones in case of dogs. Vaccinations against the canine parainfluenza, canine parvovirus, and canine adenovirus type- two is similar to the schedule maintained with leptospiral serovars.

Common questions about vaccinations

Common questions about vaccinations are to be understood by the dog owners, as a priority. One of the common questions is whether the dog needs to be given vaccination on the first week of age or not. The dogs need not be vaccinated within five to six weeks of age. But, if they did not receive vaccinations, then the vaccination against the parvoviral infections used to kill viral vaccines and measles disease may be given.

Another common question is whether dog is to be given bordetella disease vaccine and lyme disease vaccine. No, these vaccines are only optional. Can the parvoviral vaccine can be used in first week of life? No. This will interfere with maternal antibody levels.

Can a pregnant animal be vaccinated? Yes. Two to three weeks earlier to pregnancy activity that is expected, the pregnant animal may be vaccinated against viral diseases. This helps to provide maternal antibodies to the young one to be given birth. Is there any need to give rabies vaccine to dogs? Yes. It is a must to go for the anti-rabies vaccine for dogs. Can a pregnant animal be vaccinated? Yes. Two to three weeks earlier to pregnancy activity that is expected, the pregnant animal may be vaccinated against viral diseases. This helps to provide maternal antibodies to the young one to be given birth. Is there any need to give rabies vaccine to dogs? Yes. It is a must to go for the anti-rabies vaccine for dogs.

When this anti-rabies vaccine is given to the dogs, what precaution does one need to undertake in this regard? Rabies vaccine is given at age of thirteen to fifteen weeks of age and should to be repeated in fifteen months and then once in three years. It is important that the dog is given this vaccine.

However, this depends on the risk area. Is there any need for canine distemper vaccination in case of dogs? Yes. There is a specific requirement in the case of dogs for the vaccination against the canine distemper. This disease is more prevalent in most of the countries. Is there any vaccination against leptospirosis and at what age, the dog is to be vaccinated? This is to be given at age of at six to eight weeks of age, again at tenth to twelfth weeks, and again at thirteenth to sixteenth weeks of age.

Spaying and neutering

Spaying and neutering of dogs are highly wanted if you don't want to breed the dogs and however, these activities need to be carried out by qualified veterinarians specialized in pet care and management. Anaesthesia is required along with due surgical procedures for carrying out the spaying and neutering.



One has to understand first the terms like spaying or neutering. Both are related to the surgical approaches of sterilization in case of females and males respectively. However, the term neutering is also related to such procedures in both sexes. Accidental pregnancies that are not wanted can be highly minimized by these procedures. One has to understand first the terms like spaying or neutering. Both are related to the surgical approaches of sterilization in case of females and males respectively. However, the term neutering is also related to such procedures in both sexes. Accidental pregnancies that are not wanted can be highly minimized by these procedures.

Spaying and neutering helps to prevent occurrence of pyometra, which is a common reproductive disorder-giving problem to the dog owners. In male dogs, the neutering helps to prevent the occurrence of prostate enlargement or cancer. Hence, these help to minimize the incidences of reproductive disorders in dogs.

By these spaying and neutering, the male dog's desire in search of female dog in heat is highly minimized and hence, wandering of male dog is reduced. The animal becomes calm also by these surgical remedies. Territorial behaviour of these animals is also highly minimized by these in case of male dogs. Spaying of your dog before the occurrence of first heat is the best one to avoid the incidence of breast cancer. If the dog is spayed after the first heat, the chances of occurrence of breast cancer in them is more and has been proved by research. Younger group of dogs need to be subjected to these operations to avoid complications in future.

Many veterinarians prefer the spaying and neutering of dogs only at the age of five to six years. However, these can be performed even at the age of three to five years. Postoperative care needs to be followed meticulously to avoid the occurrence of infections by microbial organisms.

Spaying of the Female dog

Spaying of the female dog is undertaken to control the unwanted pregnancy by crossing of some unknown or country or non-descript dogs. The spaying of the dog reduces the aggressiveness of the dog. By spaying, one can reduce the incidences of the commonly encountered reproductive diseases like pyometra.

Spaying also helps to control the population in case of stray animals and many nations are doing these operations by removing the ovaries from the female animals. Experienced veterinarians are required to do the spaying in case of female dogs and the postoperative care is to be given more emphasis. If proper control measures are not taken after the surgical operation for the removal of ovary, then the infections may start setting in and the animal may end up in development of peritonitis and then toxemia sets in, causing unwanted health problems. Spaying also helps to control the population in case of stray animals and many nations are doing these operations by removing the ovaries from the female animals. Experienced veterinarians are required to do the spaying in case of female dogs and the postoperative care is to be given more emphasis. If proper control measures are not taken after the surgical operation for the removal of ovary, then the infections may start setting in and the animal may end up in development of peritonitis and then toxemia sets in, causing unwanted health problems.



Death of the dog may finally occur, if the dog is not provided an effective and proper veterinary care. A female dog that is spayed before the occurrence of first heat will have almost a zero chance of development of mammary cancer, which is more common with the dogs that are not spayed. Death of the dog may finally occur, if the dog is not provided an effective and proper veterinary care. A female dog that is spayed before the occurrence of first heat will have almost a zero chance of development of mammary cancer, which is more common with the dogs that are not spayed.

A female dog generally comes to heat once in eight months or so. During the heat occurrence, there is bleeding from vagina and the dog may cross with the unwanted male and the spaying activity prevents all these. In case of aged dogs, the dog may often get signs of increased thirst, anorexia, vomiting etc. that are so common with pyometra.

Pyometra means the presence of pus in the uterus. Once pyometra occurs, it involves many discomforts to the animal in addition to the cost factor involved for the therapy also. Such pyometra is totally prevented by spaying because in the case of spaying, you are removing both ovaries and the uterus.

Surgical neutering of the male dog

Surgical neutering of the male dog is important in helping the dog owners to control the male dog's aggressive behaviour. Yes. By doing the surgical neutering, it becomes possible to control the dog's restlessness, which might have caused so much agony for the owner and hence, neutering corrects such activity to the benefit of the dog owner. Surgical neutering of the male dog is important in helping the dog owners to control the male dog's aggressive behaviour. Yes. By doing the surgical neutering, it becomes possible to control the dog's restlessness, which might have caused so much agony for the owner and hence, neutering corrects such activity to the benefit of the dog owner. When the dog is in puppy stage, the dog may be subjected to the surgical neutering technique. Hence, the hormonal impact is highly minimized in such male dogs.

The surgical neutering of the male dog helps to prevent the incidences of prostate gland diseases. Generally, in case of male dogs, the prostate enlargement is more common. In canine patients undergone the surgical neutering, the incidences of such prostate enlargement are totally minimized.

Sometimes, the adult male dog has more difficulties during defecation. However, one has to rule out the feed borne constipation like lack of fibres etc. before resorting to the fixation of prostate enlargement as a cause for this. Constipation is mainly due to the increased size of the prostate gland. Neutering makes shrinkage of the prostate gland. In surgical neutering, the incision is placed in front of the scrotum and the testicles are removed in a surgical manner using aseptic techniques.



The wound need not be closed except the tying up of the cord after cutting of the testicle. However, in two to three days time, as a routine tissue reaction, some swelling may occur in the scrotum. However, once you administer the antibiotic that has a broader spectrum of activities, the condition gets recovered in a satisfactory condition. Septic shock may occur if the surgical site gets infected with some microbial infections and in these cases, the wound needs a thorough dressing procedure and the patient needs to be continuously monitored in a clinical environment. The wound need not be closed except the tying up of the cord after cutting of the testicle. However, in two to three days time, as a routine tissue reaction, some swelling may occur in the scrotum. However, once you administer the antibiotic that has a broader spectrum of activities, the condition gets recovered in a satisfactory condition. Septic shock may occur if the surgical site gets infected with some microbial infections and in these cases, the wound needs a thorough dressing procedure and the patient needs to be continuously monitored in a clinical environment.

Take note that local animal organizations perform the surgical neutering when the stray male dogs are captured by them.

Pet health insurance

Pet health insurance is highly required nowadays because of the escalating cost factors pertaining to the health maintenance in dogs and other animals. Dog owners need to find pet insurance firms that settle dues to the pet owners without much delay and in a more appropriate manner. Pet health insurance firms recently come forward to settle the dues in a proper manner after the due verification of the claim. If anything happens, dog care costs can add up without insurance.Pet health insurance is highly required nowadays because of the escalating cost factors pertaining to the health maintenance in dogs and other animals.

Dog owners need to find pet insurance firms that settle dues to the pet owners without much delay and in a more appropriate manner. Pet health insurance firms recently come forward to settle the dues in a proper manner after the due verification of the claim. If anything happens, dog care costs can add up without insurance.

Hence, know the approved list of your local animal care hospitals. Even have the list of veterinary experts who are specialized in dog's health care and disease management measures. Many firms cover up the cost made towards undertaking of surgeries, radiographic examinations, treatment of specific conditions, laboratory fees towards undertaking of various laboratory examinations, and more. There is a weighting period before the approval of your policy by most of the insurance firms after the enrolling from you so it's good to start early.

If you don't like the insurance firm, at any time, you can cancel the insurance policy. A licensed veterinarian list should be available with all insurance firms. Many payment options are available for the pet owners.



It is better to enrol the dogs or other pets before they become adults. The animals when they are young need to be enrolled as a priority.

It is always better to the consumers who are the dog owners. Before the dogs have any illness, accidents, or get into the pre-existing conditions as quoted by many pet health insurance firms, insurance coverage needs to be entered by the dog owners. The medical history of your dog will be subjected to the full review by the insurance firms, so start soon.

Clipping a dog

Many dog owners generally think of clipping as only a mechanical activity. Few understand that clipping a dog is an art. Clipping a coat or nail needs to be carried out in a careful manner to avoid the injuries to the skin or nail. Clipping of the coat is to be taken care of as per the breed characteristics. If the coat is not properly clipped, this may lead to the dust accumulation in the coat and the animal may start showing signs of skin diseases. This is true especially when the grooming activities are not done in a proper manner. Many dog owners generally think of clipping as only a mechanical activity. Few understand that clipping a dog is an art. Clipping a coat or nail needs to be carried out in a careful manner to avoid the injuries to the skin or nail. Clipping of the coat is to be taken care of as per the breed characteristics. If the coat is not properly clipped, this may lead to the dust accumulation in the coat and the animal may start showing signs of skin diseases. This is true especially when the grooming activities are not done in a proper manner.

Clipping of coat helps to get rid of the parasitic burden to a greater extent and also, the clipping of your dog is of more useful to expose on the type of parasitic problem that the dog is likely to suffer. Many pet health parlours are available wherein the clipping of dog will be carried out in a more systematic manner.

Always make use of a sharp clipper and in the winter regions, avoid the close clipping. This is due to the fact that the closer clipping in the winter seasons may expose the dog to the environmental stresses like the cold climate. Hence, the dog may become more vulnerable to the frostbite. Avoid the close clipping of coat or nail because this may cause injury to the underlying tissues and may cause bleeding in the concerned animal. Always make use of a sharp clipper and in the winter regions, avoid the close clipping. This is due to the fact that the closer clipping in the winter seasons may expose the dog to the environmental stresses like the cold climate. Hence, the dog may become more vulnerable to the frostbite. Avoid the close clipping of coat or nail because this may cause injury to the underlying tissues and may cause bleeding in the concerned animal.

Many pet owners need to avoid any clipping activity when the animal is not in healthy status. Clipping instruments are available to a greater extent in many pet shops. Avoid the blunt instruments because they may not clip well and hence, repetition is required often. Always use modern equipments for clipping activities.



First steps in grooming

Grooming is one of the important activities to be known well by the dog owner. If the dog owner is not aware of the grooming, then the dog may encounter many types of diseases. First steps of grooming consists of activities like maintenance of coat, nails and ears. The maintenance of the coat mainly consists of enrichment measures like proper bathing, combing, drying of skin by dryers, and more. The animal need not be bathed daily and this helps to protect the skin's characteristics like insulation feature. Grooming is one of the important activities to be known well by the dog owner. If the dog owner is not aware of the grooming, then the dog may encounter many types of diseases. First steps of grooming consists of activities like maintenance of coat, nails and ears. The maintenance of the coat mainly consists of enrichment measures like proper bathing, combing, drying of skin by dryers, and more. The animal need not be bathed daily and this helps to protect the skin's characteristics like insulation feature.

Use conditioners and shampoos that are meant for dogs. Combing needs to be carried out with a soft brush meant for use in case of dogs. There are varieties of brushes available and depending on the type of breeds, one can use the concerned brush. This grooming of the coat by a comb needs to be carried out daily and the fallen hair if any needs to be placed in dust bin always.

Otherwise, when the dog owners switch on the fan, the hair will fly and may enter the nostrils of persons. Always don't clip too much because this may lead to injuries of nail always. Similarly, you need to carry all the materials required for the clipping with you before the start of the procedure. Otherwise, when the dog owners switch on the fan, the hair will fly and may enter the nostrils of persons. Always don't clip too much because this may lead to injuries of nail always. Similarly, you need to carry all the materials required for the clipping with you before the start of the procedure.

Use a sharp clipper designed for use in case of dogs. It is better to have the dog on the raised place and hence, the control of the animal is easier. Ear canals are to be checked up frequently and sterile cotton may be used for cleaning purposes. Grooming associated guidelines need to be followed strictly by the dog owners.

Nail-maintenance is one of the first steps of grooming activities. Live nail areas can be easily clipped away and are always light colored than the reddish area of the nail in the higher position. During the holding of your dog's feet by you, always have a firm grip. If not, the dog will take an upper hand during the clipping and some injury may occur.



Bathing a dog

Bathing a dog needs to be given more emphasis. This is because of the fact that if you are careless in bathing, the animal may end up having some infections. For example, if you don't close the ears with large cotton ball, the water may enter into ear canals and may cause some ear infections with signs like constant discharge from the ears and shaking of head. Bathing a dog needs to be given more emphasis. This is because of the fact that if you are careless in bathing, the animal may end up having some infections. For example, if you don't close the ears with large cotton ball, the water may enter into ear canals and may cause some ear infections with signs like constant discharge from the ears and shaking of head.

Frequency of bathing actually depends on the breed of the dog. If the dog is of a hairy type like the cocker spaniel, then the bathing is to be carried out once in six to eight weeks. If these breeds are bathed too frequently, then the skin and coat loose the protective characters. However, when the dog has defecated on the skin due to the frequent digestive upsets leading to diarrhoea, to avoid the bad smell, the dog may be subjected to frequent bathing some times by the owners.

Take more care in avoiding some irritant soaps or human soaps. The soap materials used for human beings are not suitable for dogs. Similarly, many human shampoo products are having some ingredients that are not suitable in the proportions that are to be used in case of dogs. Hence, always try to use the shampoo products that are mentioned mainly for use in dogs. Take more care in using any new product. Take more care in avoiding some irritant soaps or human soaps. The soap materials used for human beings are not suitable for dogs. Similarly, many human shampoo products are having some ingredients that are not suitable in the proportions that are to be used in case of dogs. Hence, always try to use the shampoo products that are mentioned mainly for use in dogs. Take more care in using any new product. Always have good time and patience for products required for bathing in one place with availability of water source. Dogs love the sprinkling of water, river, and oceans. Even when you are using bathtub, have everything in one place and then start bathing of the dog. Try to have a leash, conditioner, towel, and shampoo in the bath place.

Conditioner is of helpful to make the combing activity easier later. Bathing should be a convenient activity to both the dog and the owner. This should not be a burden.



Pet Identification

Pet identification is highly required in these days because of the need for the licensing of the dog in a proper manner and to reduce the numbers of the stray dog menace in streets. Pet identification is done by many methods, which are different from each other. The cost factor for that also has variations accordingly. Pet identification is highly required in these days because of the need for the licensing of the dog in a proper manner and to reduce the numbers of the stray dog menace in streets. Pet identification is done by many methods, which are different from each other. The cost factor for that also has variations accordingly.

The identification of your pet may be done by personalized tags, some times by the municipal license tag, rabies tag, and more. Most of the time, your telephone number and your name will be on a place in the personalized tags of the dogs. If any body encounters the dog accidentally during the event of missing of the dog will become capable of reporting the facts to the concerned officials.

Plastic and metal pet identification tags are available in multiple colors and the dog owners can choose the color they want. However, many select the reflective type of dog tags along with the collars. Hence, the dogs can be identified even in darkness to a greater extent.

Nowadays, many electronic gadgets are available like microchips which are embedded into the dog. However, these kinds of electronic chips need to be implanted behind the ears and once implanted, this will reveal all the data embedded in this in the computer. A collard and tagged animal makes an indication that it is not a stray animal and this gives more security to the dog.

Traditional forms of identification of the animal like tattooing is now a day not carried in dogs. Thus tracing the missed animal will become easier for the pet owners mainly due to the identification-based dog collars.



Why Worry About Your Dog's Diet

Your dog is your buddy. In some cases the best friend. They offer you unconditional love and company. Some breeds live to please you. They can brighten up your day when you get home after a long day of the office with how excited they are to see you. It is a known fact that having a dog can improve your mental health and offer companionship for many people. Dogs can be trained to do a number of things, they can be trained to be a Seeing Eye dog, police dog, and even clown dogs. They can do tricks such as dance with your, sit, play dead.

I love my dog. He is a 2 year old dopey golden retriever who is my protector and my buddy. I love the greetings I get from him when I walk in the door. I love the fact that when he wags his tail, his whole body shakes back and forth. I spoil my dog and to be honest I never gave much thought to what I was feeding him, or even how important it was. My whole life I have had dogs. You would think that I know all about their diet and how important it is for them to have a good diet.

Well I don't, or at least I didn't up until a short while ago. I was one of those dog owners who didn't give my dogs diet a second thought. I bought whatever dog food was one sale that week and never read the ingredients. I listened to my vet advertise brands of dog food and sometimes took his advice but other times didn't because I knew he was being paid to promote the food. I could tell because of all the free samples he was trying to get rid of.

I wasn't however, one of those people who fed their dogs leftovers from the dinner table. Those are the people who fall for the puppy dog eyes that our dogs seem to have mastered. That is not to say I didn't toss him a taste every now and then, but for the most part, I never fed him. Some of the food we eat can be toxic for a dog, and greasy foods, or fried food, forget it. Have fun cleaning up after him after that mess!

It wasn't until I noticed my dog's coat not looking as shiny as it once did. Other dog owners have said it wasn't until their dogs began scratching themselves silly or not have much energy that they notice something was the matter. One person said it wasn't until their dog's stomach grew so much from him being overweight did they realize their might have been a problem with the food.

Dogs are mammals, just like us. If we eat too much and don't exercise enough we are going to get fat as our dogs. If we eat food that is not good for us, we tend to feel lethargic afterwards and do not want to move. Eating unhealthy for us can cause a whole slew of problems from heart disease to diabetes. We can make our skin look unhealthy and our hair and when we go to bathroom. Well let us just say that it can be pretty ugly sight.

Dogs are no different. If they eat too much and get no exercise they become overweight. If they eat food that is not good for them, they to can feel lethargic and have no energy. What they eat can affect their coat and their skin. Dogs can get most of the same diseases we do. They can get cancer, they can get heart disease, and have heart attacks. They can even get diabetes.



This is why it is so important to understand why your dog's diet is so important to their lives. Just like with us, dogs are what they eat, just like we are. Unfortunately though a dog can not tell you when something does not feel right on them, or when they have a stomach ache from the food they eat. Most of us watch what we eat because of the health benefits that come with the effort, and it is the same thing in our dogs.

A dogs diet needs are not that different from our own. They require the same vitamins and minerals as we do just not in the same quantity. They require protein, carbohydrates and fats just like we do. Their stomachs work similar to ours. There are only a few differences. If we eat too much and not exercise enough, we get overweight. Overweight can bring on a whole slew of problems for us. For a dog, it is no different. If they eat too much and do not get enough exercise, they too will become overweight and they too will deal with a whole slew of problems also. The food we put into our body can affect our skin and our hair. The food we put on a dogs body affects their skin and their hair. Why do some dog owners think otherwise? We eat certain foods to give us the nutrition we need to keep us healthy. The same is true for dogs. While they can not eat the same foods we do, careful attention should be paid to the ingredients in dog food to make sure they are getting a healthy and nutritious meal.

Poor diet in dogs could mean many things. Dogs with a poor diet do not have high energy levels, they many develop healthy problems down the line, they can be overweight or underweight. They can have teeth problems, bad breath, infections. The list goes on and on. An unbalanced diet for you dog could mean a shorter lifespan that your dog has.

Just as important as a good diet is, it is just as important to keep your dog on a feeding schedule. Free feeding your dog is almost like an invitation to obesity for some dogs. They can just graze all day. Getting your dog on a set schedule will help his diet in the long run and also his potty and business breaks outside.

Most dog owners consider their dog part of their family. Keeping a dog on a good diet has tons of benefits. You could be preventing a number of diseases, stomach issues and even be preventing cancer in some dogs. Just like us dogs can get cancer, they can get diabetes and they can even suffer from high blood pressure. What does your doctor tell you to do if this were to happen to you? Your doctor would tell you to change your diet.

You could keep allergies at bay if you make the smart choices for dog food. You could help prevent arthritis in your dog as they age. There are so many more reasons why you should make sure your dog is getting the best food available. With the proper diet, you could be looking at added years together



When Should Good Nutrition Start

So when should a dogs good nutrition start? Right from the moment they are born. In fact pups get an excellent source of nutrition and antibodies right from their mothers. In the first 24 hours after they give birth, a female dog will produce a liquid called Colostrum. This is the same liquid that women produce right after they give birth but before their milk comes in. In this colustrum are antibodies that the mother has been exposed to by the vaccinations she has received. So if you have a mother who is up to date with her vaccinations, her pup will be protected at least until they are old enough to begin their vaccine schedule. Usually the antibodies will stay in a pup's blood until they are a few weeks old.

Without colostrum a pup's chance of survival can be drastically reduced. Colostrum is a source of protection and nutrition and is also playing a part in maintaining the fluid level in your pup. In order for a new pup's heart to work, it needs a high volume of fluid. Colostrum helps balance this all out.

After the first 24 hours and mother will start producing milk for their pups. Most experts agree that a pup should just nurse for about 3 to 4 weeks until their puppy teeth start showing. Once their teeth start coming through, the breeder should start adding in solid food because nursing might start to become too hard for the mother with their puppy teeth. If you have a pup or have experience with puppies, you know how sharp those teeth are. Imagine the pain their poor mother must experience if she accidentally gets nipped while they are nursing.

Most vets and breeders recommend that puppies are kept with their mother and their litter until they are at least 7-8 weeks old. By this time they are old enough to be weaned from their mother and ready to begin their new life with you. There are some questions to ask your breeder (if that is who you are buying your dog from). Double check and make sure the pup nursed for the first 24 hours. This way you can rest be assured that they got colostrum. Also ask your breeder or wherever you are buying your dog from what kind diet the pup has been on. Find out what kind of kibble the pup has been getting. Most of the time, a breeder will send you home with a bag of kibble and leave it up to you to determine if you want to stay with that kibble or use a new one. Switching is your choice. Some people switch because the kibble the puppies were on at the breeders have had bad reviews, others switch to a cheaper brand. All I ask is that if you do switch, you make sure they are still getting the nutrients they need to grow into the loving adult dog they are destined to be.



If you decide you want to try your pup on different food for whatever the reason, what kind of food should you buy for your puppy? Avoid canned food as they are made up of mainly water, salt and sugar. You pup does not need any salt or sugar so avoid the canned and the semi-moist food. Plus soften food can also cause teeth problems down the line for your dog. Stick with a dried food. To be more specific stick with a dried kibble food that has a meat protein source as one of its first two ingredients. Included in this kibble should be at least 28% of protein for your puppy to help they grow big and strong. Not only that but the kibble will help the puppy's teeth. Puppies' teeth are notorious for being sharper than adult teeth. Puppy kibble is designed for these teeth. You will notice that puppy kibble is a little smaller and sometimes harder than adult kibble. This is for your puppies' teeth and to help his adult teeth come through.

If you are switching, the next step is to make the switch. Do not switch suddenly meaning do not give your pup the food it is used to one day and then a completely different food the next day. This will wreak havoc on your puppy's stomach. Not only that your pup might not take to the new food so kindly. Your best bet is to mix the food in slowly to get them use to the new food. It can take up to a week to completely transition the pup from one food to the next but in the end it is worth it for your dog.

How often should you feed your puppy? Well any puppy under the age of six months should be fed at least three times a day. By the time they are six months, they should eat twice a day, and once they hit a year, they should eat only once a day. Of course that is all depending on the breed and the amount of activity your dog gets. A dog that gets a lot of activity and is a larger breed dog might benefit from being fed twice a day instead of once. It is not a good idea though to leave your puppies or your dog's food out all day for them to eat whenever they may feel like it. This can lead to unwanted behaviour down the line and obesity in some dogs. Since you are feeding three times a day, which means once in the morning, afternoon and night. This does mean that if you work full time, either yourself or someone you know and trust will have to come to feed your puppy its lunch and make sure they are taking out immediately. A puppy's intestinal tract is still developing and they can not hold off on doing their business as long as adult dogs can. Make sure though you stick to a feeding schedule with your puppy.

As always limited the amounts of table scraps you give your pup in fact try not to give him any. Instead go for the puppy designed treats if you must give him something. By practicing good nutrition and diet right from the start you are creating an excellent blue print for your dog to follow through his life.



What Are The Three Choices Of Dog Food and How Are They Made?

Once your pup reaches about a year you should start to switch from the puppy chow into the adult food. What kind of adult food should you chose? There are three types of dog food, dry, semi-moist or canned.

Dry foods are usually the more popular choice and they go through a lengthy process to make. Most companies start out with raw materials such as grain, meat and fat. Then they grind them down to help increase the availability of the nutrients and mix the ingredients. Next is a process that is called extrusion which uses an extruder. An extruder is a machine that looks like screw inside a barrel. The food cooks as it goes through the barrel and changes the screw's turning speed. This is how the dog food is cooked and the end results are spongy dough. It is then send through what is known as a die where it is cut with a knife. The new kibbles now go into a dryer where the moisture is removed. The last step is called enrobing and it is the addition of either liquids or powders to the outer of the kibble. This is where the fat and flavor enhancements are added.

Semi-moist foods are made almost just like dry foods but when they are going through the extruder the temperature is lower and dryer and then it would be for dry dog food. Semi moist foods are obviously higher in moisture and have an increased risk of spoilage from mold and bacteria. To help prevent this manufactures formulated the semi-moist foods with mold and bacterial inhibitors and place them in special moisture proof bags.

Canned foods have been around since the 1800s. Canned food (or soft dog food) is food sealed in a can and then heat sterilized. Raw ingredients are used as they are in Dry food and semi-moist food. These are then added into a mixer and are cooked. After it is cooked but still hot, it moves into the filler/seamer. This is when it is placed in the cans and vacuumed sealed and then sterilized.

Now that who know how each food is made, how do you decide which one is best for your dog if you are feeding them store bought food.

You might want to stay away from semi-moist food. Just as you did for puppy hood. They are quiet high is salt and sugar. Sugar can contribute to gingivitis which can lead to tooth loss. Salt of course can lead to dehydration in some dogs. If you really want semi moist food for your dog, you can do ahead and add some water to his kibble already. Be careful though you do not add to much. Kibble tends to swell when it is wet and it could cause bloating in your dog. Try to stick with dry or canned. To come to an even better conclusion, you should look at your dog to decide if you should go with the dry or canned. Is your dog a large breed dog? Large breed dogs tend to eat more than the smaller breeds and you might benefit more from dry food which is sold in bulk.



Canned foods are better for the smaller breads of dog, but be careful with this because sometimes with canned food you can see a faster build up of tarter and plague on your dog. As you will find out, in the end it is going to be your dog that makes the final decision for what type of food you feed it. We tried all sorts of dog foods for our dog before finally deciding on one and it was a lot of trial and error with him.

What Makes A Healthy Dog Food and Where Can You Find It?

A healthy dog food does not equal a cheap dog food, no matter what the manufactures promise you. One of the best things you could do for your dog's food before you buy it is read the labels. You will learn so much about the food you are buying if you only just read the labels. The first ingredient you want to see on the label is some sort of meat like chicken, or lamb. If the label says regular own meat is can be anything. A healthy dog food does not equal a cheap dog food, no matter what the manufactures promise you. One of the best things you could do for your dog's food before you buy it is read the labels. You will learn so much about the food you are buying if you only just read the labels. The first ingredient you want to see on the label is some sort of meat like chicken, or lamb. If the label says regular own meat is can be anything.

Do not get turned off if the label has some by products included such as heads, necks or stomach contents. This is ok. Truthfully your dog would eat this stuff if it was out on the wild. If you buy a food that contains this, it does not mean your dog is going to turn into a blood thirsty hound. By law meat by products can not include hair, horn, teeth or hooves or even manure. But it can include organs, liver, head and feet (usually in the case of chickens). These are very high in natural vitamins and minerals so if a dog food contains them, they are probably fairly high in vitamins and minerals.

You want to make sure there is no soy in your dog food. Dogs tend to have a real problem with soy and most are allergic to it. You are betting off avoiding any product that has soy in it. The result could be really uncomfortable for your dog. Make sure there is calcium in your dogs diet but you do have to be very careful about how much calcium your dog has. Calcium will help your dog's teeth and bones grow strong but to much and you could wind up giving your dog bone abnormalities. If you dog has too little calcium and your dog could develop rickets or softening of the bones that bend under the pressure of your dogs weights.

Also make sure your dog's food has plenty of protein in it. For a puppy it is recommended that there is at least 28% protein in their food. For an adult dog, it is 18% and for a pregnant or nursing dog the number goes back up to 28%. It is possible for your dog to get to much protein. Usually this will not do them any harm and the extra protein will come out in their urine. However if you have a dog that has kidney problems, to much protein could be a problem for them and might possibly cause kidney failure.



Fibre is also a good ingredient to make sure your pet's dog food has. A good amount for the food to contain is about $2\frac{1}{2}$ % and $4\frac{1}{2}$ %. Too much fiber might upset your dogs stomach. It can cause loose stools, and some accidents. Usually in an overweight dog, your vet will recommend a diet high in fibre to help your dog feel fuller or if your dog has diabetes or hyperglycemia. Fibre is also a good ingredient to make sure your pet's dog food has. A good amount for the food to contain is about $2\frac{1}{2}$ % and $4\frac{1}{2}$ %. Too much fiber might upset your dogs stomach. It can cause loose stools, and some accidents. Usually in an overweight dog, your vet will recommend a diet high in fibre to help your dog feel fuller or if your dog has diabetes or hyperglycemia.

Make sure there are no chemical preservatives listed on the label. Look for words like ethoxyquin, BHA or Propyl Gallate. If you see these on the label, take heed. Ethoxyquin is usually used as a preservative in many pet foods it might be hard to avoid it. Ethoxyquin can have toxic effects. There is still much debate as to whether Ethoxyquin is dangerous or not. Though it is listed as a hazardous chemical by OSHA Hazard Communication Standards some the FDA are still saying it is harmless. Do your research to determine how you feel about Ethoxyquin as an ingredient. You can find tons of information on it, on the internet. Also note that Ethoxyquin can also show up on labels as just E.

Another important thing to look for on a label are the words or phrase "AAFCO feeding trails confirm that XYZ is complete and balanced for adult dogs or all life stages". This means that the AAFCO (Association of American Feed Control Officials) has actually fed this food dogs to find out if it meets the nutritional needs or not. Another phrase you might see is "XYZ has been shown to be complete and balanced using testing procedures as outlined by AAFCO" this simply means that instead of feeding the food to dogs, they tested it in a lab to find out. Chances are if you see that phrase, there were no test dogs to try the food out on just laboratory tests. Again this is a personal decision for you.

If you are comfortable buying food that has not been tested on dogs, by all means by the one that was tested in laboratories. Another important thing to look for on a label are the words or phrase "AAFCO feeding trails confirm that XYZ is complete and balanced for adult dogs or all life stages". This means that the AAFCO (Association of American Feed Control Officials) has actually fed this food dogs to find out if it meets the nutritional needs or not. Another phrase you might see is "XYZ has been shown to be complete and balanced using testing procedures as outlined by AAFCO" this simply means that instead of feeding the food to dogs, they tested it in a lab to find out. Chances are if you see that phrase, there were no test dogs to try the food out on just laboratory tests. Again this is a personal decision for you. If you are comfortable buying food that has not been tested on dogs, by all means by the one that was tested in laboratories.

You will also notice on some foods it might say "human grade". Again this is a debatably phrase. Some people feel that if it says human grade on it, it is to be interpreted as being good enough for humans. While others feel that human grade means it the food that goes into the dog food came from the same places which also sell food to humans. When looking for a good dog food, beware of gimmicks. Gimmicks can range from anything such as Specially for Large Breeds or even dental/teeth cleaning formulas.



These are all things that are found in supermarkets. With all the recalls lately there are a lot of dog owners who are cautious about buying dog food in the supermarket. So where else can you look for dog food? The first place you can look are pet stores. Some Pet stores might carry different brands than the supermarkets. Another bonus is that some of these stores train their employees on dog food and they should be able to help you with any questions you have.

You can also look online. The internet will show you a world of natural and organic pet food that can be ordered and delivered right to you. They provide detail descriptions of the foods and the ingredients. The only downside is that sometimes these foods can be costly and if you do decide to purchase one, there is a possibility your dog might not like it.

After all, the final decision does come down to your dog and their tastes. You might want to purchase the smallest size of dog food available to test on your dog. You can also look online. The internet will show you a world of natural and organic pet food that can be ordered and delivered right to you. They provide detail descriptions of the foods and the ingredients.

The only downside is that sometimes these foods can be costly and if you do decide to purchase one, there is a possibility your dog might not like it. After all, the final decision does come down to your dog and their tastes. You might want to purchase the smallest size of dog food available to test on your dog. Though there are many dog lovers out there who gasp at the thought of using pre made dog food, there are still many dog lovers who swear by dry dog food. There are many, many brands of dog food out there and many manufactures. No one will be able to tell you what the best one is. You and are dog will have to work together as a team. You can do your part by carefully reading the labels on the food you are going to buy. Remember cheaper is not always better. A lot of times the cheaper brands add a lot of fillers and use cheap ingredients.

The more premium dog foods tend to use better ingredients with no fillers. Your dog is going to do their part by letting you know if they like the food or not. If you are switching food for what ever reason, then you want to make sure you give your dog a transition period. Sometimes if you go from one brand of dog food, to another you could upset your dogs stomach. Spend a day or two adding it to the brand you already use and each day add more new food and less of the old food until your dog is completely switched over. This can take a week or so to transition but it is in the best interest of your dog.



What To Do When Your Dog Is Overweight

Just like with us, if a dog eats too much and does not get enough exercise they are going to gain weight. It is very important to take care of your dog if he develops a weight problem. Just as with us, being overweight can cause a whole mess of problems with a dog. The thing is they happen faster with a dog than they do in us. The excess weight a dog has can cause extra pressure on their joints and muscles and they might develop arthritis. The extra weight can also cause heart problems with dogs and dogs can even get diabetes. Before you rush out to buy the newest diet dog food, stop and look at your dogs feeding habits.

Before you start, double check and see if you dog is overweight. You can check this without going to your vet. The best way to check is to feel your dog's ribs with both hands. For an ideal weight dog, it is easy to feel the ribs. If you look at your dog from the side, the belly is tucked up and if you look at your dog from the top, you will see your dog with a little waist. If you dog is overweight, you are not doing to be able to feel his ribs. When you look at your dog from the side, you will not see a tucked belly and when looked at from the top, there is no waist. Growing up my family dog was a beagle and was overweight and her belly hung down to the ground almost, she was that fat. You could tell just by looking at her, we didn't need to do the rib test at all.

While being overweight can be the symptom of other illness, chances are your dog is just being overfed. It is still a good idea to take him to the vet just to make sure. It turns out our beagle had a thyroid problem and needed medication. That was part of the problem, the other part was that she ate too darn much. While being overweight can be the symptom of other illness, chances are your dog is just being overfed. It is still a good idea to take him to the vet just to make sure. It turns out our beagle had a thyroid problem and needed medication. That was part of the problem, the other part was that she ate too darn much.

Like we said, you do not need to rush out and buy the newest diet food for your dog. There are some simple steps you can do first. For starters look at his feeding schedule. If you are still feeding him twice a day, you should cut that down to once a day especially if he is older than a year. The schedule of feedings for you dog should go as follows: A puppy gets fed three times a day from 8 weeks until about 6 months. From 6 months until a year, they should be fed twice a day. Once they hit a year, they only need to eat once a day. Also, keep an eye at how much you are feeding him. Keep in mind the guidelines that are on the bag of the dog food. If it states to feed your dog a cup and a half a day for example, do not feed them 3 cups. Some people believe that if they are only being fed once a day then they should double up on the serving size to compensate.

This is not true. When your dog is eating three times and even twice a day, they more than likely still on puppy food. Once they are being fed once a day, they are on adult food which theoretically will fill them up more than the puppy food did.



Next, make sure you exercise your dog. This is easier with some breeds than it is with others! Take your dog for walks, if you have a fenced in yard, make sure you are out there with him tossing a ball around or at least playing with him. Anything to get them moving. This not only helps with exercise for maintaining weight but it also helps some dogs relieve a lot of their pent up energy. Next, make sure you exercise your dog. This is easier with some breeds than it is with others! Take your dog for walks, if you have a fenced in yard, make sure you are out there with him tossing a ball around or at least playing with him.

Anything to get them moving. This not only helps with exercise for maintaining weight but it also helps some dogs relieve a lot of their pent up energy. There is also a diet called the Green Bean Diet, that some have said have helped their dogs to lose weight. This diet is fairly simple to follow. You simply cut back on your dogs food and replace it with canned green beans instead. Studies have shown that you should take out about 10% of your dogs food every 5 days or so and replace it with green beans until they are receiving about half the food they would have been normally. For example if your dog eats 3 cups of dog food a day, you want to make sure they are getting 1½ cups of food and 1½ cup of green beans. Keep your dog on this until they loose the weight they need too. Always double check though with your vet before starting any new diet for your dogs. You should try and stay away from diet dog food.

They are usually filled with fillers which are how they keep the fat and protein levels lower than in regular dog food. Plus these formulas might do more damage than good. You really are better off saving your money and either cutting down his food, or trying the green been diets. We tried some of these diet formulas and nothing happened. The only time our beagle started losing weight was when we started feeding her less. Lastly when you are trying to get your dogs weight under control, you should cut out all treats including table scraps and raw hides.

These are a no when you are trying to get your dog to lose weight. Table scraps should be avoided no matter how much your dog weighs.

Should You Give Your Furry Friend Table Scraps?

We probably are all guilty of this, I know I am. I am sitting down to dinner with my family and I hear a thump on the floor and know its my golden settling down between our feet. After a while, I hear him scoot closer until his head is peaking out and he looks at me. His eyes wide and sad. Every time I bring my fork to my mouth, he lifts his head in hopes that the food will jump off the fork and onto the floor. When it doesn't, he lowers his head in defeat. After a while, I'll hear a subtle sigh and its my dog. He is acting as if his life is so tough. This process repeats itself until I finally give in and toss him a little something. I'm not proud to admit I do this. Lately though we have been taking to keeping our dog in a different room when we eat to avoid his pity looks.



I was doing my dog a lot of harm and I did not even know it. Dogs do not need to eat the same foods as we do all the time. We eat a variety of food and some of them are not even that good for us either. We eat fry food and food that is covered in fat. Is this food that a dog should have? Usually if we are eating meat, and there is fat on the meat, what part are we going to eat and give to your dog? Chances are the fat. You are not going to keep the fat for yourself and give the dog some of the meat. This is one of the reasons why to much table scraps are the leading cause of obesity in dogs. Some foods are toxic to your dog also. Almost everyone knows that chocolate is extremely toxic dogs, but did you know that grapes and raisins are also. They can cause kidney problems if eaten in large quantities. Onions and onion powder are also a no no to your pet. I was doing my dog a lot of harm and I did not even know it. Dogs do not need to eat the same foods as we do all the time.

We eat a variety of food and some of them are not even that good for us either. We eat fry food and food that is covered in fat. Is this food that a dog should have? Usually if we are eating meat, and there is fat on the meat, what part are we going to eat and give to your dog? Chances are the fat. You are not going to keep the fat for yourself and give the dog some of the meat. This is one of the reasons why to much table scraps are the leading cause of obesity in dogs. Some foods are toxic to your dog also. Almost everyone knows that chocolate is extremely toxic dogs, but did you know that grapes and raisins are also.

They can cause kidney problems if eaten in large quantities. Onions and onion powder are also a no no to your pet. Some dogs actually can wind up choking from the bones that are in some of the meats like chicken or turkey. Another reason why you should avoid table scraps. If you give your dog mainly table scraps you be setting yourself up to have a dog that will not eat anything but table scraps. By living on a diet that is solely table scraps, your dog is being denied essential nutrients it needs. Especially if your diet is not that good either.

You are also going to notice a change in your dogs waste when you give him more than needed table scraps. They may be smellier and larger than they are normally. It is not going to be pretty cleaning those up.

Let us talk about the bad manners you are also instilling on your dog by giving him table scrapes. He might begin to think that anything on the table is fair game for him. Imagine leaving food on the table and turning away for one second. You turn back and the food is gone and your dog is licking his chops. Not exactly the dog of your dreams. We've had this happen before with my family dog. One day we left sausage defrost on our counter and 2 minutes later it was gone as our dog had reached up and took all them. Or how about when you are entertaining guest and your dog lays his head on the lap of one of your guests and proceeds to whine until he is given something from the table. A friend of mine's dog is so used to getting table scraps that he will actually jump on the laps of guests when they ignore him to get his scraps. Not exactly the model behaviour you want your dog to show if your boss and his wife every come over for dinner.



Also, don't use your dog as a garbage can. There are some dog owners who when they clean their fridges out, tend to give some of the unspoiled food to their dogs. This could be ok, depending on what kind of food you are giving them. I know one person who once gave her dog six slices, I repeat SIX of liverwurst that were going to go bad in the next day or so and the poor dog had diarrhoea for a week. Also, don't use your dog as a garbage can. There are some dog owners who when they clean their fridges out, tend to give some of the unspoiled food to their dogs. This could be ok, depending on what kind of food you are giving them. I know one person who once gave her dog six slices, I repeat SIX of liverwurst that were going to go bad in the next day or so and the poor dog had diarrhoea for a week.

This also means you might have to stop using your dog as a vacuum cleaner. Again, I was guilty of this one also. I allowed my dog to lay under my toddlers highchair and watch him catch whatever she decided to through on the kitchen floor. I figured I couldn't be doing any hard to him. Well he was gobbling up fried chicken nuggets, and hot dogs like they were going out of style. I began to notice a big difference in his poop and it wasn't pretty. When my toddler was eating baby food she would fling her spoon all over the place and her baby food would land right on the floor. The problem was, that some baby food contains onion powder and onions can be deadly to a dog.

Let's talk about chocolate for a moment. Everyone knows that chocolate is toxic to your dog, but it does all depend on what kind of chocolate. Growing up our family beagle got into our pantry and managed to eat every single chocolate kiss that was in there. What was even more bizarre was that she took the wrappers off of every single one. All she got was the runs for a few days. Some people dispute about chocolate being toxic because their dog might have gotten into something with a little bit of chocolate and is ok. The thing with chocolate is that it is addictive for dogs, almost like it is with us. The difference is, it won't kill us. Chocolate contains the obromine which is a stimulant found in cocoa beans. It increases urination and affects the nervous system and the heart muscles. This is what is poisonous to dogs.

So what is a toxic dose of chocolate? It all depends. My golden Retriever could probably eat a teaspoon of milk chocolate and be fine, but someone else's toy dog might have a reaction to it. Also not all chocolates have the same amount of theobromine in it. White chocolate has the least amount of theobromine in it. It would take 125 pounds of white chocolate to cause signs of poising in a 20pd dog. While baked has the most, one ounce of baking chocolate is toxic to a 10pound dog. Milk chocolate is a favourite for candy bars, so keep in mind that it would take 2-3 candy bars to poison a 10 pound dog. Obviously the bigger the dog, the more it would take to produce the toxic effects.

If your dog has eaten chocolate and you can not say for sure how much, if you see any of these signs, call your vet immediately: vomiting, diarrhoea, increased heart rate, increased urination, excessive panting, restlessness, muscle twitching, possible seizures and it could lead to death for your dog.



Now I'm not suggesting completely stop giving table scraps out at all. If you want to every now and then, that is your right as a dog owner. There are actually table scraps out there that are very healthy for your dog. Your vegetables are an excellent table scrap to give to your dog if you really feel the need to give him something.

What Goes In Must Come Out. How Your Dog's Diet Affects His Waste

It seems that Mother Nature came up with the rule that what comes in must come out and your dog is no different. What goes in must come out and it is not always pretty. In fact sometimes it can be down right scary.

If you dog's food contains a lot of fibre, you will know. Their waste will be runny and large. Depending on certain foods your dog eats, the smell can vary from a little to a "oh my god what did you eat" smell that stays with you for a few minutes. My dog has some wicked ones, especially if he grabbed some food from my daughter. He can go about his business and five minutes later you can still smell the stench on him as he trailed it with him. Thankfully I never clean up my dogs business. I think that is a man's job.

By watching what you feed your dog, and making sure they are on a balanced diet you can help make the process of them doing their business and you or whoever won the task of cleaning it up a lot more easier.

This is also why it is so important to keep your dog on a good feeding schedule. If they are on a feeding schedule they will also get on a good pooping schedule. Not only that but if they are eating a balanced diet, they will also get on a good schedule for doing their business. This is another reason why you want to avoid table scraps. Table scraps can make a dog have to go more often because of the problems some food can cause to your dogs stomach. The greasier the food, the worse it will be.

Of course there are going to be times when there are problems. Dogs can get diarrhoea in younger dogs such as puppies who have not yet been vaccinated, you should call your vet right away. Diarrhoea can mean your pet has contracted a virus such as the parvo virus which can be deadly to your pet. For older dogs, you might want to wait it out a day or so. There are many reasons for the cause of diarrhoea in older dogs. If you switched your dogs food recently with out a transition this could be the cause of it. If you give your dog table scraps, stop immediately because more than likely that is what is causing the diarrhoea. If your dog was outside he might have grazed on some grass and some sticks. All of these are common reasons your dog might have diarrhoea.



The most common form of diarrhoea is acute diarrhoea. It can start suddenly and last a few days. As long as your dog is acting normal, and playing, you can treat it at home. Put you dog on a bland diet. This can be cooked meats like chicken or boil hamburger without any fat. You should give them about 1/3 of a cup. You can also give 2/3 of a cup of white rice or oatmeal. Try to keep away from oils and fats when your dog has diarrhoea. If you want, you can go ahead and add some plain yogurt also. The key is to keep this up for a few days after the diarrhoea has cleared up. If you dog is acting sick, dehydrated or has blood in his stool, then call your vet right away. More serious causes for diarrhoea can be worms, and viruses.

I have had experience with diarrhoea and my golden retriever. He got into the trash (another cause of diarrhoea as you will see) and from what we gathered, ate some soiled paper towels. He woke up at 2:30 in the morning having to go out and then proceeded to wake up almost every hour on the hour having to go. We kept him on rice and chicken for the next 2 days and he was back to normal in no time.

If dogs can get diarrhoea, then you better believe they can get constipated also. You can tell your dog is constipated if they are straining to go, and when they do they produce small round waste. The biggest culprit of constipation is not enough water. Your dog needs constant water, especially during those hot summer days. Make sure you always keep a bowl of fresh water out for your dog.

Another reason for constipation is waiting to much time before potty breaks. Some people feel that if they keep water from their dog during the day, they will not have to go to the bathroom as often. While technically this is true, they are also doing a job on their dog's intestines. If you have changed your dogs diet or cut back on their food intake to help them lost some weight, it is probably a good idea to add some vegetables into their diet. This will help.

You can also use a little bit of Metamucil. Use about half a teaspoon twice a day and make sure he has plenty of water. A final suggestion is to give your dog a little milk. We have said before that dogs are lactose intolerant, but a few ounces might help them along and soften their stools.

A dog doing their business is a normal part of life for them, just like it is with us. Also just like with us, there are going to be times when our system gets a little whacked out and needs a few days to get back to normal. Most of the time diarrhoea and constipation can be dealt with at home. If you ever have a concern or feel that your dog is not acting right, call your vet right away.



What Is The Raw Dog Diet?

For as long as dog food as been around, some dog owners are getting very concerned about the dog food they are buying for their dogs after all of the recalls that have been issued this past year alone. Unfortunately the food you feed your dog today, could be the newest recall tomorrow and for some pet owners that is not a risk they are willing to take. If you look on the internet or join a dog lovers chat room you will find that a new diet is starting to become bigger and bigger and this is the raw food diet. The raw diet is not a new trend, though many pet owners think it is. This diet is basically mimicking what your dog would eat if he were out in the wild. Some people have even called it the BARF diet. BARF stands for Biologically Appropriate Raw Foods and also for Bones and Raw Food Diet.

If you are going to try this diet for your dog, remember the food is all raw and so are the bones. Never, under any circumstances give you dog cooked bones. They can splinter and cause internal damage. Also, people have stated that it might be easier for your dog if you switch the food from kibble to BARF with out any transition as long as you start simple.

So what does the diet entail? It is a meal made up of meat, and veggies. That is it. Half of your dogs meal will be the meat and the remaining ingredients make up the rest. If you can try and get your meat from a butcher to ensure freshness. Remember all the food is raw. Start off with just meat for a few days when you are switching your dog. Once your dog has settled into this you can start adding some bland veggies such as carrots. You should use a blender or food processor for your veggies. I find it easier to get my dog to eat his vegetables if I make it liquidity and mix the meat into it. By using a blender and pureeing it this will break down the cell walls that your dog can not digest anyway. Once those walls are broken down, your dog will get all the vital nutrients and enzymes it needs.

After you try your dog on meat and vegetables, you can then start adding richer foods like eggs or so. Once you have the hang of it start adding different veggies to make sure they get the best vitamins and nutrients.

The choice of veggies depends on you. You should though mix it up a bit. To make good choices on the types of veggies, it is good to know what each veggie contains and can do. Carrots should always be included because of the potassium, calcium and vitamins that it offers. You add green veggies one day with carrots because green has vitamins A and C in it. Watercress and mustard greens can help clean out your dogs intestine. Stay away from broccoli and cabbage as they can increase gas in your dog. I made the mistake of giving my dog broccoli one night and the effects were disastrous. It was the middle of winter and I had to sleep with my windows open the smell was so bad. Also stay away from onions and potatoes. Onions can cause problems in dogs if eaten in a large quality and have you ever been kissed by a dog that just ate onions? Potatoes should be avoided because your dog can not digest it well.



Also included in the raw dog diet are raw meaty bones. Examples of these bones are chicken backs, necks, wings, or turkey necks. They are soft enough for a dog to chew and eat and they provide and exercise for your dogs jaw and upper body muscle. These bones are excellent for your dog to eat due to the nutritional value they have. If you have a dog that tends to inhale their bones or an older dog whose teeth are not that good, you can always grind up the bones and sprinkle it on their food.

You can give some oils such as fish oil or flaxseed because they contain essential fatty acids such as omega-3. They support the heart and are important for a healthy skin and coat. They will also help with your dogs blood pressure (yes it does matter!). Some more benefits of essential fatty acids are less shedding which can be a blessing to owners of dogs who shed constantly. Essential fatty acids also help your dog with fleas. Studies have shown that dogs have these fatty acids included in their balanced diet deal with fewer flees. These are found in fish oils and flaxseed oils. There are a few benefits though to using fish oil over flaxseed. It is true that flaxseeds contain more omega-3 than fish oils, it is inactive omega-3. In fish oils the omega-3 is in active form. Most people recommend sticking with the fish oil especially because dogs can be allergic to flaxseed oil.

So what are the benefits of having your dog on a raw food diet? Well for starters, you will notice a big change in their breath. Some people might find this hard to believe because of the fact you are giving your dog raw food, but this is not true. The raw dog diet does not contain any unnatural preservatives that can cause bad breath. You will notice a difference in their teeth also because chewing on the raw meat bones clean your dogs teeth naturally.

You will also see an improvement in your dogs skin and coat. Skin problems will disappear and you will see a change in their coat. Their coat could become deeply colored and thick. The raw dog diet also improves the immune system due to a great balance of fatty acids and pure nutrients. This is also an excellent diet for dogs that are overweight. The raw food diet can increase your dogs metabolism.

Lastly the raw food diet tends to change a dogs stool. The first few weeks it is not uncommon for your dog to go through a detox period, where you might see their stools being a little more mucous then before. However once they get through this detox period you will notice that your dogs stools are smaller and degrade into the ground.

One thing though that tends to make people very nervous about this diet is the fact that you are giving your dog raw meat. When you think of raw meat, like raw chicken, words like salmonella poisoning and E Coli probably come to mind. Some think that following the raw dog diet is worse for your dog, then the brand name dog foods out there. Keep in mind though that the raw food you give to your dog should be perfectly safe for them as long as you handle it properly. You should make sure you defrost it properly and keep it in the fridge for the appropriate time. Clean all utensils and surfaces that you used to prepare the food. Wash your hands thoroughly also handling the meat. This will keep the bacteria down not only on your dog's food but also in your environment and will keep your family safe too. Remember also that a dog has a shorter digestive tract than we do, so the raw food moves out of their systems much more quickly. The less time it spends in the digestive tract, the less likely it will form bacteria.



Another reason why some people are afraid of using this diet is because of the old wives tale that the raw food will turn their otherwise calm and mellow dogs into the blood thirsty hounds you might see in a scary comic book. The term for this is called blooding your dog and possibly making it want even human meat. This is not true. You will not be programming your dog to be a killer in anyway shape or form.

Now how do you choose if you want to raw feed your dog or bag him? Well for starters do you research. On the internet you will find people pro dog food and pro raw food. Read up as much as you can to gather information. Read more about the benefits of a raw diet. Read more about dog food. This might be a better choice for you due to the icky factor of having to prepare raw food for your dog. Though lately now there have been more and more companies who have been developing food that is part of the raw food diet that can be delivered to you already prepared.

You can also talk to your vet regarding this but keep in mind not all vets are familiar with the raw food diet or at least they were not taught about it in school. They were taught which brand of prepared dry dog food is best and they might not be able to give you an unbiased answer.

One thing you might want to consider doing is joining a forum for dogs lovers. Chatevo.com offers a lot of forums based on specific dog breeds, diet and nutrition. You will be able to get opinions from people who have been there and done that. Sometimes talking to other people who share the same love of dogs as you do, makes things a lot more clearer and you might be able to understand better than if you were to talk to a expert.

No one should bully you into picking what kind of dog food you should use for your dog. Nor should anyone scare by saying things like dry food causes more problems or that the raw food can cause e coli. You just have to look at all the benefits to decide if you will at least try it for your dog.

The raw food diet is not for everyone nor is it for every dog. Some dogs will thrive on it, while others do not. It may not be the answer for you or your dog, but the benefits that come from it are worth a try and there really is no harm in it.

Can Your Dog's Diet Cause Allergies?

In a one word answer...yes. Yes your dogs diet can cause allergies. The thing to keep in mind though is that dogs do not have the same allergy symptoms as we do. They do not get stuffy noses, bad coughs or water eyes. Dogs react to allergies with skin problems such as itching, chewing, and their coat taking on a poor quality. Some dogs even suffer from chronic ear infections as a result of allergies.



While allergies can be caused by many things, we are going to discuss the food allergies that some dogs seem prone to. Food allergies do not come to surface as fast as they would with us. In fact you could be feeing your dog the same dog food for years and see that just recently they started having allergies symptoms. Once the symptom comes to surface though, that is it. Food allergies usually show themselves with itchy skin, anal itching, ear inflammation, and rubbing their face on the carpet. I have never personally owned a dog with allergies but have seen dogs with allergies that spend a good twenty minutes scratching the skin off of them when their allergies act up. They were so bad, they actually had bald patches on their coat from how fast and furious they scratched.

Keep in mind that dogs are not allergic to brands of dog food, but rather the ingredients that are in your dogs food. The most common food allergies are beef, pork, chicken, milk, soy and corn along with a few others. If you buys a brand of dog food with one of these ingredients, and find your dog is allergic, and then you buy another brand with the same ingredients you are going to find your dog is still allergic. Here is yet another reason why it is so important to read the labels of your dog food!

The first step to figuring out if it is your dog's food that is causing your dog to suffer, take away your dogs food and feed them only a diet that consists of things that your dog has never eaten before. This should be protein and starch. You can try lamb or rabbit mixed with rice. Do not give them anything else during this trial period. Do not give them any treats, bones, table scraps or even chew toys. Keep them on this diet for a few days. Once the symptoms start to improve, go back to the original food for a few days and make a note of what you were given your dog. You know now they are not allergic to it. If they symptoms return, your dog is allergic to something in the food. The next thing to do is to return to the test diet and add one new ingredient a week to rule out allergies. For example try chicken one week and if the symptoms get better, you know it is not chicken. The next week try beef and if the symptoms return then it is safe to say your dog is allergic to beef. Try this though with all ingredients because your dog could be allergic to a number of ingredients in their food.

Once you find out the culprit or culprits, you can look for food that does not contain the ingredients you know your dog is allergic too. One of the best choices with brand dog foods is food that is made with lamb and rice. Both lamb and rice are consider hypoallergenic as long as it does not consider wheat, or corn. Corn is not digestible to dogs.

If you are feeding your dog the Raw Dog Diet, you would still follow the same steps to find out what they are allergic to and then just cut out the offending ingredients from their diet. I know this sounds like a lot and time consuming. It can take a while to discover to cause of your dogs allergies. But in the end it is worth it for your dog and you will end a lot of their distress.



You can always take your dog to the vet for an allergy diagnoses. They will perform a series of physical examinations and tests to determine what your dog is allergic to. While this is a quicker way to get to the bottom of the mystery, it can also be a costly one plus studies have shown that blood tests do not always show food allergies. The food trial diet is the best way.

Another thing to keep in mind is that no matter what the cost of your dog food, your dog could still develop allergies to it. Granted there are more reports of the cheaper brand food causing more allergies because of the fillers that might be included in those brands, but your dog has just as much of a chance of being allergic to the premium dog food as it does with the cheaper brand food. Dogs also do not grow out of allergies.

If you notice your dog suddenly itching a lot, or chewing at their skin first check for fleas and if you find none, they more than likely have food allergies and you should begin the food test diet right away.

Should You Give Your Dog Vitamins?

Yes you should, but they do not have to be the way you think. Usually you will get extra vitamins for your dog at their first puppy visit. There are many reasons why your dog should get vitamins and why they might need extra vitamins. All dogs have different nutritional requirements and not all dog food

There are many reasons to give your dog vitamins range from the fact that all dogs have different nutritional requirements to your dogs food not having enough. Even if your dog is on the raw food diet, they still might need additional nutrients depending on their breed sometimes. Older dogs especially need vitamin supplements because they are not eating as much food as they used to and could be lacking certain nutrients.

So what kind of vitamins do dogs need? Well, it helps to know what each vitamin is for. Vitamin A is for the skin. This might help prevent flaky skin and irritable skin in your dogs. Vitamin D is your dogs bone and teeth. Breeds like golden retrievers who are very susceptible to arthritis and hip problems will probably benefit greatly from taking a supplement of vitamin d. Vitamin E is an antioxidant vitamin and Vitamin K is the blood clotting vitamin. You also have vitamin b which is for healthy muscles, skin and blood and then vitamin C which is a vitamin for stress and antioxidant.

Some people will argue that a good quality pet food will contain all the vitamins and nutrients your dog needs. Others will tell you that is simply not true. The cooking process that some of the pre made dog foods go through might kill essential nutrients that are needed. While most pet foods will contain the "average" amount of recommended vitamins, they do not provide additional vitamins for protection against diseases.



Vitamins help regulated your dogs metabolism. Vitamins fall into two categories. One is water soluble (vitamin B and C) which have to be replenished every day. Vitamins A, D, E and K are what's known as fat soluble vitamins. They are stored in fatty tissue and the liver and do not need to be replenished daily.

Also included in these supplements are minerals. Minerals keep our dogs body fluids balanced. Your dog needs minerals like calcium, magnesium, sodium (just a little) and potassium just like we do. You need to be careful though with minerals because they can affect each other if too much is taken.

When we talk about vitamins we do not just mean the pills that you can get from your vet. We are also talking about adding certain foods to their diets to make sure they are getting enough vitamins. If you are following the raw food diet, you want to make sure your dog gets a variety of vegetables to keep their vitamin intakes up.

If you are not giving your dog a vitamin or supplement, take a good long hard look at him. If you see he is losing weight, has skin lesions, or losing his fur he might have a vitamin A deficiency. Vitamin D deficiency is apparent when your dog loses some of his muscle tone. If you notice your dog might have a vitamin deficiency, talk to your vet to find out for sure. Your vet will either suggest that your dog begins to take the necessary vitamin or for you to change his food.

Most of the time vitamins deficiencies are more common in packaged dog food that you can get from your local supermarket. This is why it is important to read the labels on the dog food you buys if that is your feeding method. You want to make sure it contains all the vitamins your dog needs. If it does not, and you do not feel comfortable going to the raw food diet, talk to your vet about giving your dog vitamin supplements to keep him healthy.

Do Pregnant Dogs Need To Be Fed A Different Diet?

Your dog is in heat and you notice the stud next door eyeing her up. They are left alone for a few hours and chances are they mated. So how can you tell if your dog is pregnant? There is no missed period, and no mood swings. There is not even a home pregnancy test that dogs can take. Not only do they not make them, but a dog will go through the same hormonal changes whether she is pregnant or not so there is no HGC produced in a dogs body. So a blood test is out also. There are though signs you can look out for. If your dog's stomach looks swollen or she looks like she had sudden weight gain and her nipple area seems swollen these are all signs that your dog could be pregnant. The most definitive way of knowing is by going to your vet. Your vet will do an ultrasound to determine if your dog is pregnant.



So what can you expect now that your dog is expecting? For starters it is a quick pregnancy. A dog is only pregnant for anywhere from 60-63 days. Sounds like a dream come true. Your dog usually will not need any extra nutrients through out most of her pregnancy. In fact you might find that your dog will lose some of her appetite and vomit a few times in the beginning of her pregnancy. It is just like our morning sickness only it lasts a week or so and it usually comes about 2 to 3 weeks into your dogs pregnancy.

During the last 3 to 4 weeks of pregnancy you might want to increase her food slowly so that by the time she delivers she will be eating only about 25-30% more than she was before hand. That really is not a lot. Make sure you add this in slowly and try not to overdue it. You do not want your dog gaining to much weight. A lot of well meaning pet owners start increasing their mommy's to be food intake right from the get go because they are under the assumption that they need the extra calories to grow their puppies. This is not true at least not for the beginning and middle of the pregnancy. It is only in the last few weeks. The reason why you are going to wait until the end of the pregnancy to increase her food intake is because that is when the puppies really begin to grow. Your dog will need more nutrients and energy to grow these pups. Some vets will recommend you switch her over to a growth/puppy food because it will provide the nutrients for her growing family. Other vets will suggest your put her on a nursing/lactation diet.

It is up to you on how you want to feed her. You may want to feed her two small meals throughout the day. It might be hard to feed her in one feeding because her puppies may be taking up a lot of room and she might not be able to eat it all at once. You might even want to break the rule of not leaving food in your dogs bowl all day for these last few weeks. It might be beneficial to your dog if you do this, but make sure you are watching what she eats. Dogs can develop toxemia or eclampsia late in their pregnancy if they do not eat enough or have a poor diet. Again some doctors will have give your dog vitamins during pregnancy and others will not. Do not add any vitamins or minerals on your own to your dogs diet. It can de deadly to both the mom and the pups. Especially calcium which can increase the chance of eclampsia and even a milk fever after birth. Milk fever is when the mother does not have the ability to move calcium into their milk without taking it from themselves.

A pregnant dog can still exercise, in fact it is recommended to keep her on a light exercise program. This will not only keep her muscles tone but it will also help with the weight gain. Just as with humans, obesity in pregnancy can cause some serious complications.

Right before you dog is about to deliver, she will probably stop eating a day or two before delivery. This is one of your first signs that delivery is immediate. You might want to keep some food out for her though, just in case she wants to nibble here and there to keep her strength up.



Once she has given birth and all is well you are going to see a remarkable increase in her appetite. She is nursing after all and lactation brings upon more demands on her body. Expect her nutritional needs to multiple by 3 or 4 times. This does not happen at all once. Expect to see an increase the 20 to 30 days following the birth and the puppies grow and nurse more. By the time the puppies are a month old, your dog should be eating at least four times of what she did before she was pregnant. Keep an eye on her, it she seems to be getting to thin you can supplement the food more with some flavoured canned food. Once 6 to 8 weeks have passed since delivery you should start weaning the pups and getting the mom back to normal.

To wean puppies you have to help the milk supply dry up. Withhold food and give her half of the water she normal drinks for one day. The next day give her only a quarter of what she was eating before she got pregnant and half her water. From then on, give her all the water she wants and slowly over the next five days increase her food until she is eating what she was before her pregnancy. By the time she is back on her pre pregnancy food, her milk supply will have dried up and the puppies will have been weaned.

So for a short while she will be feed more than normal, there is no reason to start going crazy with the feeding of your dog when she is pregnant. Keep her on the same schedule until the last month or so of her pregnancy. If you are unsure of when conception took place, your vet should be able to make an estimated guess for you and you can use that as a guide line. Even before your dog gets pregnant you should make sure she is eating a balanced meal and is not overweight.

What To Feed Your Senior Dog

It is bound to happen and it is never fun when it does. Suddenly one day we notice that our dog does not come bounding to the door to greet us as often as he once did. Instead he is curled up sleeping in his favourite spot. Or one day we notice that he tires out faster on a walk or does not want to play his favourite game outside. You might even notice on the darker fur dogs, shades of gray coming through on their coat? Your dog is entering the final stages of his life, and that is becoming a senior.

When should you consider your dog a senior, is it when the above symptoms start happening or is their a guideline to follow? Your vet will tell you that your dog is considered a senior when they are in the last third of their life expectancy. A Golden Retriever that is expected to live until they are roughly 13 usually enters senior hood around 8 or 9 years old. Poodles usually live 15 years enters their senior hood at around 10 years old. Other changes you might see that will clue you in to your dog's age is that you might find your dog being a little bit clumsier then before. It is not uncommon for sudden blindness and hearing loss to accompany a dog on their trip through the senior years. It is not a bad idea to see your vet to make sure that this is what is going on with your dog and not something else.



Once your dog gets older, you will also notice a decrease in activity. They simply do not have the energy they once did. You might want to cut back on the amount of food you were feeding your dog to help prevent weight gain in those last years. You can if you really want purchase a specially formulated senior diet dog food. But double check with your vet. Some of those diet foods or senior foods can contain a lot of protein and if your dog is in renal failure, you do not want to give them any extra protein.

Your dog also has more of a chance of becoming constipated once it becomes a senior. Their stomach and digestive system do not work as well as it used to. So make sure you have plenty of fibre in your dogs diet. A good amount of fibre is between 3% and 5%. Also make sure they have plenty of fresh water. Water can help with the constipation. Make sure you take note of your dog when they are trying to do their business. Is it harder for them than usual? If so, talk to you vet to find the best solution to help your dog.

Keep feeding your dog supplements. It is a known fact that there a lot of breeds are prone to arthritis once they become seniors. It is one of the fears we have for our golden retriever. Golden Retrievers are known for developing arthritis and hip problems later in life. You want to make sure you keep those joints healthy so they can get around. Most vets will recommend a daily supplement containing glucosamine and chondroitin. Both of these nutrients will help your dog's arthritis. Vitamins also work because older dog's bodies tend to absorb fewer vitamins and electrolytes through their intestinal tract and lose them. Also some dogs will eat less once they are older and are depriving themselves of much needed vitamins. You also want to make sure you give your senior dog plenty of essential fatty acids. These can help with the effect of arthritis.

One of the most common problems owners of older dogs report is how hard it is to feed their dogs. Their dog will suddenly stop eating and a frantic call to the vet is placed. While it could be something serious, chances are it has to do with your dog's teeth and mouth. Their teeth are getting old and they may have a hard time chewing food like they used to. You could try giving them smaller kibble or moistening the food with water to soften it up a little bit.

Sometimes an older dog will no longer find their food as appealing as it once was. Try adding a little bit of cooked chicken and broth or boiled eggs to the food. Some vets will give you the ok to add very small amounts of bacon drippings, or hamburger grease to your dogs food.

When your dog has reached its senior years, it is not the time to skimp on dog food. Give him the best dog food you can afford. Some people report beginning to try the BARF diet (bones and raw food diet) because the raw food is easier for seniors to chew and the vegetables that are part of this diet are usually pureed, therefore easier for them to eat. The BARF diet is an excellent diet to follow because of all the natural nutrients that are included and some people say that the BARF diet has helped their dog gain back some of its energy. Other benefits include helping with arthritis and weight gain that seems to be so common in older dogs. Of course not all seniors will take to the raw food diet, so it really is up to you on what to do. Though again, the benefits greatly out way the chance that they might not like it, so it is worth a shot.



Some people tend to up the table scraps for their senior dogs. A part of them feels almost guilty that they know the end of their time together is approaching and wants to indulge them those last few years. While their hearts are in the right place, it is really not a good idea to do this. This could cause more problems in your dog then it might already have.

Watching your dog grow old is not always an easy thing to do, giving him the best diet possible might help make this a more comfortable time in his life.

Should You Give Your Dog Treats?

Regardless of what anyone says, I think treats are a necessity for dogs. Especially for young dogs who are in the process of being trained. A treat is a reward for good behaviour. A treat can be our way of doing something nice for our dog to show them that we love them. If you enrol your dog in a trainer class, most of the time the trainer will advise you to keep some small treats in your pocket to reward your dog with when he masters a good behaviour.

Some people enjoy giving treats, while others believe it is up there with table scraps and contributes the weight gain. I say as long as it is done in moderation and only given when called for, treats are great for your dog.

There are many kinds of treats. There are the biscuits that are great to use for dog training and other situations. Then there are rawhides, or pig ears for your dog. You can make your own treats and there are even stores out there that specialize in pet treats.

I always make sure I keep my dogs treat box full of biscuits. I usually will give him a treat after he does his business outside and on other occasions. If we have company and he is good and does not get over excited, he gets a treat. When we have, what I call our review time for things he learned at the trainer all those years ago, he gets a treat. I even keep some treats in my pocket for when we take walks and he knows to come to a full stop at a street corner. I buy your basic treats. I don't get any of those treats that say they are going to cure bad breath, or fight tarter for my dogs teeth.

Some dog owners make their own treats. Some of the loyal followers of the raw food diet will make their treats based on the diet. Some recipes are easier to make than others and if I make mine treats as I do once in a while, I try to stick to basic easy to follow recipes. A favourite of my dog has been peanut butter and yogurt. I just melt the peanut butter and mix in the yogurt and then freeze it overnight. A big benefit of home made dog treats is that you know exactly what is going into your dogs mouth because you are the one making it for him. It sort of follows the same point of following the raw food diet. You can find books that contain dog treat recipes and there are even some on websites. A few of my favourites are:



HOMEMADE DOG TREATS

- 1 cup warm water
- 1½ tablespoon canola oil
- 1 ¾ cup flour
- 1 1/4 cup oatmeal
- 1/4 cup of all natural peanut butter

Mix oil and water together and add other ingredients. Shape into a tube a child for one hour. Slice into $\frac{1}{4}$ biscuits and cook at 300 degrees for 50 minutes on a greased cookie sheet.

FROSTY PAWSFROSTY PAWS

- 1 32 oz container of vanilla yogurt1 mashed banana
- 2 tablespoons honey
- 2 tablespoons natural peanut butter.

Mix all ingredients together and fill a muffin tin. Freeze for a few hours and then store in an airtight container. Heat in microwave for a few seconds before serving.

CHEESY DOG COOKIES

- 2 cups all purpose flour
- 1 1/4 cup shredded cheddar cheese
- 1/4 teaspoon garlic powder
- ½ cup canola oil
- 4-5 tablespoons of water

Combine everything but the water you can mix in a food processor until it has the same consistency of cornmeal. Then add in the water until a ball is form. Roll into $\frac{1}{2}$ " thickness and cut into biscuits. Bake for 10 minutes at 400 degrees on an ungreased cookie sheet.

There are countless more that you can find and even talk to your vet about. I tend to stick to the easier recipes due to the time constraint but there are more gourmet recipes out there for you dog

There are times when I have to step up the treats and give my dog a rawhide bone. There are many conflicting opinions out there on rawhides. Some feel that they are the best treat because they help fight plaque and tarter on your dogs teeth. Some feel that they are great for puppies because they stimulate the growth of their adult teeth. Even better, your puppy will chew on the bone instead of your shoes.

.



On the flip side, some feel that rawhides are dangerous for your dog. For starters rawhides are not digestible by your dog and in some extreme cases can cause a blockage if a particular large piece or pieces was swallowed. There can be a choking hazard associated with rawhides. Large pieces can get wedged in a dogs throat. Some people say that the rawhides treats will scratch your dogs throat when they are digested.

I have always given my dogs rawhides treats and have never had a problem. There are instances where problems have arisen and there are many different circumstances around them. Sometimes the dogs that are what I like to call chew hounds, tend to inhale the rawhides and are at the most risk for choking. If you have a dog that is a chew hound, you might want to keep rawhides from him or at least give him the kind that are twisted or knotted. These are a little harder to chew because they are thicker. You also have to make sure you have the right size bone for your dog. A large breed dog is not going to do well with a small rawhide. That is why dogs choke, they chew on bones that are not meant for them.

How about pigs ears? Yes, they usually are real pig ears and they can smell awful but our dogs gobble them up. This is another favourite subject debate amongst many dog owners and vets. Some people refuse to give them to their dog because there have been instances in the past where pig ears that came into the USA had salmonella poisoning. Though steps have been taken to reassure that this does not happen again people are very hesitant to give their dog pig ears as treats. Some people claim that pig ears are to fattening for their dogs.

On the other end of the fence, pigs ears are all natural pork which is a big selling point for some owners. Another pro that has been said about pig ears is that they are tasty and tantalizing. I'm not sure what pet owner tested them to see if this is true or not, but I'll take their word for it. As for me, pigs ears are going no where near my mouth. Another pro is that they will not splinter or crack which is a big problem with some rawhides out there. Some people also feel that the fat content in the pig ears is good because it promotes a healthy coat and healthy skin. Pig ears are also 100% digestible so there is no need to worry about any sort of blockage.

I will admit, I hate the smell and touching pig ears, but my golden absolutely loves them. They are special treats that I reserve for every now and then. He does not get one everyday. A lot of people say that giving a pigs ear once a day is fine, but my dog gets one a few times a month and that is it.



In the winter of 06, there was a big uproar about a brand of treats called "Greenies" allegedly killed nearly 13 dogs. Greenies are a brand of dog treats that are designed to help clean teeth. They come highly recommended by vets and my vet swore by them when I complained about my dogs breath. What happened with these Greenies nearly 2 years so is that the treat became lodged the dog's esophagus and intestine and do not break down. Greenies were always marketed as being 100% digestible, but at that point, there was doubt about how digestible these treats really were. There were also instances where the dogs were choking on the Greenies. The company that makes Greenies states that the treat is 100% safe as long as people are giving their dog the correct size. Add to the fact that they save dogs lives by preventing periodontal disease which can lead to death in dogs. Greenies come in at least 5 to 7 different sizes for different size dogs. It was a tough time and it still is a tough decision to call if you should give your dog Greenies.

As for me personally, I gave my Golden Greenies a few times and I never noticed a difference in his teeth. Then again I'm no vet, so I do not know what to look for, but I can tell you that his breath still stunk even after the Greenies. To me, they are no big deal. My dog loved them. He devoured it in about 7 minutes flat. Even though I know if helps with their teeth, I watch I give my dog to eat now to prevent any sort of teeth problems. Occasionally if I'm feeling really daring, I will brush his teeth

Treats are a very important part of dogs nutrients I think. Almost all pet owners gives their dogs treats. It is our way of showing our dogs they are special and that we love them. It is a way to show them that we love them. Have you ever really watched a dog when he gets a treat or just before he gets one. Their tails are usually wagging triple time and you can see the anticipation on their faces. It is a great sight. Why deny your dog treats? As long as you are not overdoing the treats, there is no reason for your dog to gain any extra weight from them which can put your mind at rest when you are giving your dog treats.

To Sum It All Up

As you can see there are a LOT of opinions out there on what is best for you dog. There are positive sides to using dry food and some negatives. It is your choice. As you can see there are a LOT of opinions out there on what is best for you dog. There are positive sides to using dry food and some negatives. It is your choice. I never knew how important it was to read the labels on dry dog food and it took me a while to get comfortable reading the labels in the supermarkets. There I was reading a 50 pound bag to make sure it was filled with all the nutrients that were enough for my dog. In the end though I knew it was well worth it. I was able to find some dry dog food that I knew was good enough for my Golden.

Dog Health Exposed It's Easy If You Do It Smart



The Raw Food Diet is a growing diet that many people are beginning to swear by. It cut down on vet visits and vets costs. It is natural and there is nothing added to the food except what you put in it.

Your dog is part of your family. I know mine is and I am very attached to my dog. I want to have many years with him and when he does become a senior I want to make sure he is as comfortable as he can be and that some of the problems his breed is prone to are not that bad for him. I know now a good diet can help this.

You owe it to your pet to make sure he or she is being fed the best food possible. You are their voice and you are the one to make the decisions. So make a decision to start taking a better interest in your dogs food.

